



Model Number: 20220929

Ford E-Transit Mobile Power Cord Travel Power Supply Converts Dual 20 amp 120 Volt outlets to 240 Volt Level 2 [20220929]

Manufacturer: Clean Storm

Ford E-Transit Travel Power Supply Joiner with NEMA 6-20 Plugs

Ford states, "The E-Transit Charges from 0%-100% in about 12 hours when using the Mobile Power cord and 240V outlet." [Quote Link HERE](#)

This allows you to take the 240 volt outlet with you and charge twice as fast!

Level 2 Power Charger Installation is no longer needed. This Power Cord Adapter Inverter (Reverse Converter) Takes two 115-120 volt outlets and allows you to use 230 or 240 volt appliances that uses under 20 amp @ 230 volts (4600 watts) Single phase current to NEMA 6-15R and 6-20R receptacle.

Electric car charging: 100% Faster charge than with level one charging. Commonly used as an electric wall unit air conditioner, Turbocord plugs, all plug in hybrids and EV including but not limited to: Audi hybrid versions of the A3 Sportback, A3 e-Tron, Q5, A6, A7, A8, Bentley Bentayga ybrid, BMW 330e, BMW 740e, BMW i8, BMW X5 xDrive40e, Chevy Volt, Chevy Bolt EV, Chrysler Pacifica Hybrid, Cadillac ELR, Genesis Mint, Honda Clarity, Mitsubishi Outlander PHEV, Fiat 500e, Ford E-Transit, Ford Evos Hybrid, Ford Focus EV, Ford C-Max, Ford C-Max Energi, Kia Niro EV, Kia Kona Electric, Kia Soul EV, Mercedes-Benz C350e, Mercedes-Benz GLE550e, Mercedes-Bens S550e, Prosche Cayene E-Hybrid, Porsche Panamera E-Hybrid, Tesla Roadster, Tesla Model X, Tesla Model S 70D, Tesla Model S P85D, Toyota Prius Prime, Toyota Prius Plug-in, Mini Countryman, Nissan Leaf, BMW i3 REx, BMW E-Golf, Hyundai Ioniq, Subaru Crosstrek PHEV, Volvo XC90, Volkswagen Type 20 Microbus, and many more.

No Electrician Required to make 240 volts!

Works with most Portable electric car charging stations

Works with evChargeSolutions L2-6-20 Portable Electric Vehicle Charger Level 2

NEMA 6-20 Plug to J1772 24' Station

Works with both plug in hybrids as well as full EV (electric vehicles) :

Duosida 3030-PSE-16.7.6C-AS

25 Ft Level 2 EV Electric Vehicle Portable Car Charger - 16-AMP 120-240V, NEMA 6-20P

Works with

Duosida Electric Vehicle Charger Portable EVSE 220-240v Level 2 Nema 6-20 Plug To J1772 24' Station for EV Charging 20180613

On Sale

Works with AeroVironment TurboCord 240 Volt Plug-In EV Charger

Level 2 Portable Electric Car Charger 240Volt 16Amp Duosida (NEMA 6-20 Plug uses 20 Amp outlet) Standard U.S. J1772 25' Long Cord
WORKS WITH MOST US ELECTRIC & PHEV VEHICLES

EV Gear 43237-2 Level 2 EV Charger

Works with
Maxx-16 43237-2 Electric Vehicle Charger (220V-240V) with nema 6-20 plug - 28 ft long - Level 2 - 16 amp Electric Car Charger - J1772 - EVSE

Works with

BougeRV IRV027 Level 2 EV Charger (240V, 16A, 25FT) Portable EVSE

Works with
LECTRON 4897080225302 240V 16 Amp Level 2 EV Charger with 21ft (6.4m) Extension Cord J1772 Cable

OrionMotorTech Level 2 Electric Car EV Charger (220V 16A), with NEMA 6-20 Plug, 23' Charge Cord, SAE J1772

Universal Charging Plug-EVSE UL Recognized
Portable take with you on the road so you can charge your car 100% faster, even at motels and at your friend's home or office.

Duosida BEDUO12KITNEW

Level 2 EVSE Portable Electric Vehicle Charger (240V, 16A) - Faster Charging
Speeds

ClipperCreek
LCS-20, 16 Amp Level 2 EVSE, 240V, with 25 ft cable

Used with Aerovironment AV TurboCord Dual EVSE AVTCD and RN2R3H Level 2 unit simply by adding on a small adapter which is equipped with a 240V NEMA 6-20 plug. In both cases the unit attaches directly to the outlet. When used as a Level 2 unit on 240V, the unit allows electric car charging at up to 16A for a total output of 3.84kW. Approved for Honda Fit EV, Honda Accord, Chevy Volt, Chevy Bolt, Nissan, Toyota, and Kia and many more...

No need to hire an electrician as every home and office has the ability to make 240 volts.

Installing an permanent electrical 6-20R receptacle can cost between \$600 to \$1500 and mean taking at least 2 days off work.

This box eliminates that need while having the flexibility to take the power with you.

We eliminated the use of the volt meter and replaced with a green light notification system so we can now manufacture this in a smaller 6" X 6" X 4" Deep box.

We manufacture other 220 to 240 volt receptacles available including but not limited to: NEMA 6-30R, NEMA 14-50R, NEMA 6-50R, NEMA 10-30R, NEMA L6-20R, more

Works with Duosida and Jekayla, Level 2 Electric Vehicle Charger by ReadyCharge for faster charging speeds. Compatible with Chevy Volt, Ford Energi, Toyota Prius, and Ford Evo. Perfect for electric cars (BEV), pressure washers, welders, plasma cutters, vapor steam cleaners, wall air conditioners and other high powered equipment when 230 volt plugs are just not available. Tesla (BEV) car owners historically have purchased the 14-30R or 14-50R model wall AC units use the 6-20R

Compare to current or past OEM associations:
B07DGJQWV2

Not for use on GFCI or LDCI 115 volt Outlets or for use in the rain.

Until both 120 volt power cords are connected to a 120 volt electrical source, it is electrically isolated from the electrical circuit of the exposed male plug on the 2nd power cord. This protects the user from accidental shock through the exposed male plug contact.

To use simply plug into different standard 120 volt wall outlets and push the momentary button to test voltage. If the bright green light turns on, you are good to go. Not all outlet combinations will produce the correct voltage so you have to test before each use or each time you take your box to a new location. If you push the

voltage test button and the green light does not turn on, simply re-located one of the power cords to a different location and retest. Every job site location has the ability to provide 230-240 volts. If you use 15 amp 115 v to 120 volt circuits then you will only be able to operate 15 amp 230 volt equipment. If your pressure washer needs 23 amps @ 230 volts and you are plugged into 20 amp 115 volt outlets, you will need to turn the pressure down to lower the amp draw. Just turn the pressure regulator / unloader knob counter clockwise. The less pressure, the less horse power is needed to turn the electric motor and this will lower the amp draw. When charging your electric car, simply set the car to charge at 16 amps at 240 volts on the dashboard or on the charging cable if required (some cars auto sense and auto change the speed.)

The 2023 Ford E-Transit Charger is a dual voltage charging cord. You can charge for 24 hours at level 1 or charge in under 12 hours on level 2 240 volt charging when plugged into a 240 volt outlet on this travel power supply box, or dedicated outlet. The 6-20P (most common for most all other brands) currently seems to sell evenly with the 14-50P (Tesla style.)

Since the converter box is designed for 16 amp / 20 amp surge usage, it is perfect for level 2 charging.

Electricians will charge between \$800 to \$3000 to install the required receptacle in your home/office.

For \$350 you are ready to go and you can take it with you too!

Plastic Box is 6" X 6" X 4"

Dual 12-3 X 25 ft power cords with dual 20 amp push breakers.

Green Light Voltage Notification

Rubber feet on bottom of box or hang on the wall.

Handle on top makes it easy to take with you on the go.

You must test both wall outlets with a receptacle polarity tester before use!

Electrical Outlet Receptacle Tester 20100823 3 wire 120 volt

This is to confirm your home or office was wired correctly.

, outb

Please remember the 80/20 electrical rule. If you are going to plug into a 15 amp outlet and draw long term the device needs to be under 80% of 15 amps = 12 amps max.

If I plug into dual 20 amp breakers long term charging then the 80/20 rules math is 20 amps X 80% = 16 amps max. Most Level 2 EV charges are 16 amps at 240 volt so it would be best to plug into two 120 volt 20 amp breakers. Most 2 ton window and portable AC units also will have a 16 amp rating so you will need to make sure your breaker box has 20 amp 120 volt breakers.

Manufacture 1 Year warranty. Add optional 2 or 4 more years for a little more.

System works with any charger that uses the SAE J-1772 connector, and is compatible with all major EV brands. Converters are the choice of tens of thousands of drivers and work with 10 major auto manufacturers, including Chevrolet, BMW, Honda, Nissan, Ford, FIAT, Kia, Mitsubishi, Toyota, Volvo, Audi, Volkswagen, Hyundai and many more!

Optional:

Power Joiner Step Up Inverter Electric Car Charger Converts Dual 20amp 120volt outlets To 240volt 4wire 20amp 14-50R Level 2 [Reverse14-50R]
Our best selling Tesla car owner converter box.

Also works with vapor and steam generators, like in the video below:

This 6-20r power converter box is included with the following optional cleaning packages below:

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

-ImexServe 09Evo Steam Vapor Cleaner Machine Only 3400 Watt Dual Heating Elements 100% More Power 0230070000 116 psi
Includes the 6-20R converter box
Video on link!

-ImexServe 09Evo Steam & Vacuum Vapor Cleaner W/ Accessories 3400 Watt Dual Heating Elements 100% More Power 20171222 116 psi Machine
Includes the 6-20R converter box
Video on link!

-ImexServe 09Evo Junior Steam & Vacuum Vapor Cleaner W/ Accessories 3200 Watt Dual Heating Elements 100% More Power 18651359 87 psi
Includes the 6-20R converter box
Video on link!

-ImexServe 09Evo Junior Steam & Vacuum Vapor Cleaner MACHINE ONLY 3200 Watt Dual Heating Elements 100% More Power 0230070001 87 psi
Includes the 6-20R converter box
Video on link!

Compare to current or past OEM associations:
B07DGJQWV2

Testimonials:

"I've used this power supply for a 3 HP Sawstop Professional Cabinet Saw. After a bit of experimentation with various outlets on separate house circuits, I found a combination with a suitable extension cord for 1 plug that worked great. This was a convenient alternative to running a dedicated 220V line to the garage. Thanks for this great product, Mike"
Invoice 78644
South Hamilton MA 01984

"A long time ago I bought a 220V table saw and ran a proper outlet. Then I bought a house I knew we'd only be in for 2-3 years and I didn't want to run a new service to the detached garage I would be using for my woodshop. So this thing was the solution. Actually still use it for that purpose until I run 220v to my new house's garage."
Patrick Invoice 68357
Rolling Meadows, IL 60008

"I primarily purchased the converter box solely for charging my Tesla vehicle when I find myself visiting friends or family whom do not have a 220v outlet I can use. The converter purchased from your website has been extremely convenient, I simply keep it in my trunk, so I always have it when I need it. The cords are extremely long, and the charge time is significantly shorter than a regular 110v outlet; I would definitely recommend this product to others.
Thanks."
Jared, Moreno Valley, CA 92555

"I use this to power my portable EVSE. (With a 32 amp adjustable EV Car charging cable)
I recently got a (electric Genesis) GV60 and picked up the power joiner to hold me over until the electrician could install a 14-50r. Now I keep it in the car in case I need to charge while at my girlfriends or visiting friends or family. Product works great once you find a matching pair of sockets. I've used it on 15 and 20 amp circuits and have had no issues."
Regards, Lawrence
Inv 99128 Clifton NJ 07013

Tips: One customer wrote, "I plugged into different walls, not the same outlet, and it did not work."

Answer: This is incorrect step / understanding.

In order to have the power supply box work, it must be plugged into different phases.

There are two phases of power in every home.

Half of all the outlets are on left phase, and the other half is on right phase.

You must land on one of each phase in order for the power supply to work.

This means if I just randomly select two outlets in a home, I could be plugged into:

two left side phases, 2 right side phases, or 1 of left + 1 right (correct use of power supply, depress phase locator button on the power supply box and will illuminate bright green on the phase locator light if you plugged in correctly.)

If you look at the breaker panel (photo to the right) and notice the column of breakers on the left side and then a column on the right side.

The way a breaker box is wired is the top left breaker is left phase, the 2nd from the top left straight down the left column is right phase, 3rd down is left column is left phase, 4th down is right phase. These breakers alternate phase location all the way down each column.

The top right column of breakers works exactly the same way. You have to land on one left phase and one right phase to make this item work. It is OK to have landed on a pair of outlets that is left and right side and each is positioned anywhere in the breaker panel.

Since this power supply box will not work with GFCI or LCI outlets you can also replace a GFCI outlet with a standard wall receptacle.

Optionally, if the two breakers you want to use are on the same phase, simply change the location of one of the two breakers to be in a different position in the column. This is very easy to do and only takes a screw driver (see video link below.)

Go outside and turn off the breaker and turn off the breaker that is labeled as 'main.' Go back to the garage and take off the garage panel cover.

Grab the breaker you want to relocate and simply switch positions with another breaker either one up or one down in the column. You can change the location of the breaker or change the location of the wire in the breaker (your choice.) This will put the breaker on a different phase. Again, see video below on how to do this.

<https://youtu.be/BG9I-PokSdl?si=m06267ZWR54Tiknu>
and

<https://youtu.be/lzTV9t7bnH8?si=p1lgRxxO5gsEvmub>

Once you are on different phases, and press the momentary phase location button on your power supply box, the green light will be bright green telling you, you selected one left and one right phase and you are good to use this power supply box below the required amp draw of the wall outlets you plugged into.

Normal
0

false
false
false

EN-US
X-NONE

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="List Paragraph" />

Name="Intense Quote" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >



Steambrite Supply

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

UnhideWhenUsed="true" Name="Bibliography" />
UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />
Name="Grid Table 7 Colorful Accent 1" />
Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />
Name="Grid Table 7 Colorful Accent 2" />
Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />
Name="Grid Table 7 Colorful Accent 3" />
Name="Grid Table 1 Light Accent 4" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="Grid Table 6 Colorful Accent 4" />
Name="Grid Table 7 Colorful Accent 4" />
Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />
Name="Grid Table 7 Colorful Accent 5" />
Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />
Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />
Name="List Table 7 Colorful Accent 1" />
Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="Unresolved Mention" />

Name="Smart Link" />

/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri",sans-serif;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

DefSemiHidden="false" DefQFormat="false" DefPriority="99"
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />


Name="Table Theme" />

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Name="List Paragraph" />

Name="Intense Quote" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >



Steambrite Supply

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin:0in;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri",sans-serif;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
```

Availability: This product was added to our catalog on Wednesday 28 September, 2022