



Model Number: 2008CS

Mytee 2008CS 10gal 220psi HEATED Speedster Dual 3 Stage Carpet Cleaning Machine Contractor Series Bundle

Manufacturer: Mytee Products Inc

Mytee 2008CS 10gal 220psi HEATED Speedster Dual 3 Stage Carpet Cleaning Machine Bundle.

Get your business off to a hot start with Mytee's 2008CS Contractor's Special! This package features a 10 gallon, dual vacuum, heated extractor with a 220 PSI pump! Pair that with a 25' vacuum and solution hose combo, a 12' dual jet wand, and an Air Lite Upholstery Tool and you have a system powerful enough to not only get your business off the ground, but help it flourish.

Features:

- 10-gallon (approx.) capacity solution tank
- Efficient dual 3-stage LA (low amp) motors that provide maximum suction and airflow to clean and dry carpets fast
- 200 CFM, 130' water lift
- Powerful 220 PSI diaphragm pump
- 2,000-watt in-line heating system, 210°F maximum
- User-friendly aluminum handle for easy loading and unloading
- Easy-open vacuum tank lid
- Waist-high switches and easy-access components to reduce bending
- Durable roto-molded polyethylene that resists rusting and denting

2008CS Bundle Includes:

- Mytee's 8100-Hose Set: 25' crush-proof vacuum hose and high-pressure solution hose
- 8300-EZ 12 inch dual-jet stainless steel cleaning wand with disconnect
- 8400P Air Lite Upholstery Tool
- One gallon System Maintainer Extractor Descaler
- Mytee 1001DX-200 Machine.

Powerful, portable, user-friendly and affordable — it's easy to see why the 1001DX-200 Speedster Deluxe heated carpet extractor is a favorite among carpet cleaners everywhere! Like all Speedsters, there are two 12 gallon tanks — one for solution and one for recovery. Each Speedster has waist-high switches and bucket-high drains. The Speedsters have 12" ball bearing wheels and 5" locking casters for easy mobility around the job site or even stairs. The Speedster is virtually as good as it gets when it comes to purchasing a carpet cleaner.

The 1001DX-200 Speedster is:

Powerful — With a 220 PSI diaphragm pump, 200 CFM, 107' H2O,

and “vacuum inlet and float.

Efficient – The 1001DX-200 Speedster® has a 2,000-watt, maximum 200W heater and two 3-stage LA (low amp) motors with maximum suction and airflow to clean and dry carpets quickly.

Easy to Use – Featuring aluminum handles for easy loading and unloading, easy-open vacuum tank lid, waist-high switches and easy-access components to reduce bending, detachable power cords and a large hanger for storing hoses and cords.

Durable – With a housing made of tough roto-molded polyethylene that resists rusting and denting.

The Speedster® line of carpet extractors are powerful, portable, user-friendly and affordable. They have features that set them apart from the competition. Made at our California plant, our Speedsters® undergo extensive factory testing to ensure that they meet rigorous quality standards. Mytee® extractors are covered by the strongest warranty in the industry. The housings are covered for life. Mytee® carpet extractors represent the cutting edge in cleaning technology. Take on any job with confidence utilizing the Speedster’s® combination of power and versatility. No one else even comes close.

MSRP
\$3,899.00

Warranty
Limited 5 yr warranty

Body
Roto-molded polyethylene

Tank
12 gallon

Vacuum
Dual 3 stage
Factory Installed Mytee C302LA Electro Vacuum Motor Model
Q6600-090A-MP-26 Flat Bottom 3 stage 120V (Mytee C302 original part number)

CFM
200

H2O

130"

Pump

Diaphragm

Factory Installed Aquatec 220 psi Triplex Diaphragm pressure switched

Bypass Pump 115 Volts Mytee C322D 58-ELK-220, 58-FLC-220 EDIC

AE-PUMP-220

PSI

220

GPM

1.35

Heater

2,000 W - 210 degree maximum

Require dual 20 amp breakers to run the heater. You can run the machine on 15 amp breakers with the heater turned off.

Wheels

10"

Locking Casters

4"

Power Cord

Dual 50' 12/3

Included

2" Cuff-Lynx hose adapter and 1.5" Cuff-Lynx reducer, wire hanger for storing hoses and cords, and drain elbow.

Product Weight

97 lbs.

Shipping Weight

127 lbs.

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Product Dimensions
28" x 18 1/4" x 40"

Shipping Dimensions
29 1/2" x 19 1/4" x 46 1/2"

Brochure

User Manual

Parts List September 2013 - Present

Parts List March 2013 - August 2013

Parts List June 2012 - Feb 2013

* Weight= 99 lbs.

FREE and INCLUDED (EXCLUSIVE STEAMBRITE SUPPLY OFFER):



Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

-Training DVD 4 Pack: Covers the basics a Cleaner needs to know

DefSemiHidden="true" DefQFormat="false" DefPriority="99"
LatentStyleCount="267">

UnhideWhenUsed="false" QFormat="true" Name="Normal" />

UnhideWhenUsed="false" QFormat="true" Name="heading 1" />

UnhideWhenUsed="false" QFormat="true" Name="Title" />

UnhideWhenUsed="false" QFormat="true" Name="Subtitle" />

UnhideWhenUsed="false" QFormat="true" Name="Strong" />

UnhideWhenUsed="false" QFormat="true" Name="Emphasis" />

UnhideWhenUsed="false" Name="Table Grid" />

UnhideWhenUsed="false" QFormat="true" Name="No Spacing" />

UnhideWhenUsed="false" Name="Light Shading" />

UnhideWhenUsed="false" Name="Light List" />

UnhideWhenUsed="false" Name="Light Grid" />

UnhideWhenUsed="false" Name="Medium Shading 1" />

UnhideWhenUsed="false" Name="Medium Shading 2" />

UnhideWhenUsed="false" Name="Medium List 1" />

UnhideWhenUsed="false" Name="Medium List 2" />

UnhideWhenUsed="false" Name="Medium Grid 1" />

UnhideWhenUsed="false" Name="Medium Grid 2" />

UnhideWhenUsed="false" Name="Medium Grid 3" />

UnhideWhenUsed="false" Name="Dark List" />

UnhideWhenUsed="false" Name="Colorful Shading" />

UnhideWhenUsed="false" Name="Colorful List" />

UnhideWhenUsed="false" Name="Colorful Grid" />

UnhideWhenUsed="false" Name="Light Shading Accent 1" />

UnhideWhenUsed="false" Name="Light List Accent 1" />

UnhideWhenUsed="false" Name="Light Grid Accent 1" />

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 1" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 1" />

UnhideWhenUsed="false" Name="Medium List 1 Accent 1" />

UnhideWhenUsed="false" QFormat="true" Name="List Paragraph" />

UnhideWhenUsed="false" QFormat="true" Name="Quote" />

UnhideWhenUsed="false" QFormat="true" Name="Intense Quote" />

UnhideWhenUsed="false" Name="Medium List 2 Accent 1" />

UnhideWhenUsed="false" Name="Medium Grid 1 Accent 1" />

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 1" />

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 1" />

UnhideWhenUsed="false" Name="Dark List Accent 1" />

UnhideWhenUsed="false" Name="Colorful Shading Accent 1" />

UnhideWhenUsed="false" Name="Colorful List Accent 1" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 1" />

UnhideWhenUsed="false" Name="Light Shading Accent 2" />

UnhideWhenUsed="false" Name="Light List Accent 2" />

UnhideWhenUsed="false" Name="Light Grid Accent 2" />

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 2" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 2" />

UnhideWhenUsed="false" Name="Medium List 1 Accent 2" />

UnhideWhenUsed="false" Name="Medium List 2 Accent 2" />

UnhideWhenUsed="false" Name="Medium Grid 1 Accent 2" />

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 2" />

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 2" />

UnhideWhenUsed="false" Name="Dark List Accent 2" />

UnhideWhenUsed="false" Name="Colorful Shading Accent 2" />

UnhideWhenUsed="false" Name="Colorful List Accent 2" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 2" />

UnhideWhenUsed="false" Name="Light Shading Accent 3" />

UnhideWhenUsed="false" Name="Light List Accent 3" />

UnhideWhenUsed="false" Name="Light Grid Accent 3" />

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 3" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 3" />

UnhideWhenUsed="false" Name="Medium List 1 Accent 3" />

UnhideWhenUsed="false" Name="Medium List 2 Accent 3" />

UnhideWhenUsed="false" Name="Medium Grid 1 Accent 3" />

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 3" />

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 3" />

UnhideWhenUsed="false" Name="Dark List Accent 3" />

UnhideWhenUsed="false" Name="Colorful Shading Accent 3" />

UnhideWhenUsed="false" Name="Colorful List Accent 3" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 3" />

UnhideWhenUsed="false" Name="Light Shading Accent 4" />

UnhideWhenUsed="false" Name="Light List Accent 4" />

UnhideWhenUsed="false" Name="Light Grid Accent 4" />

UnhideWhenUsed="false" Name="Medium Shading 1 Accent 4" />

UnhideWhenUsed="false" Name="Medium Shading 2 Accent 4" />

UnhideWhenUsed="false" Name="Medium List 1 Accent 4" />

UnhideWhenUsed="false" Name="Medium List 2 Accent 4" />

UnhideWhenUsed="false" Name="Medium Grid 1 Accent 4" />

UnhideWhenUsed="false" Name="Medium Grid 2 Accent 4" />

UnhideWhenUsed="false" Name="Medium Grid 3 Accent 4" />

UnhideWhenUsed="false" Name="Dark List Accent 4" />

UnhideWhenUsed="false" Name="Colorful Shading Accent 4" />

UnhideWhenUsed="false" Name="Colorful List Accent 4" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 4" />

UnhideWhenUsed="false" Name="Light Shading Accent 5" />

UnhideWhenUsed="false" Name="Light List Accent 5" />
UnhideWhenUsed="false" Name="Light Grid Accent 5" />
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 5" />
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 5" />
UnhideWhenUsed="false" Name="Medium List 1 Accent 5" />
UnhideWhenUsed="false" Name="Medium List 2 Accent 5" />
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 5" />
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 5" />
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 5" />
UnhideWhenUsed="false" Name="Dark List Accent 5" />
UnhideWhenUsed="false" Name="Colorful Shading Accent 5" />
UnhideWhenUsed="false" Name="Colorful List Accent 5" />
UnhideWhenUsed="false" Name="Colorful Grid Accent 5" />
UnhideWhenUsed="false" Name="Light Shading Accent 6" />
UnhideWhenUsed="false" Name="Light List Accent 6" />
UnhideWhenUsed="false" Name="Light Grid Accent 6" />
UnhideWhenUsed="false" Name="Medium Shading 1 Accent 6" />
UnhideWhenUsed="false" Name="Medium Shading 2 Accent 6" />
UnhideWhenUsed="false" Name="Medium List 1 Accent 6" />
UnhideWhenUsed="false" Name="Medium List 2 Accent 6" />
UnhideWhenUsed="false" Name="Medium Grid 1 Accent 6" />
UnhideWhenUsed="false" Name="Medium Grid 2 Accent 6" />
UnhideWhenUsed="false" Name="Medium Grid 3 Accent 6" />
UnhideWhenUsed="false" Name="Dark List Accent 6" />
UnhideWhenUsed="false" Name="Colorful Shading Accent 6" />

UnhideWhenUsed="false" Name="Colorful List Accent 6" />

UnhideWhenUsed="false" Name="Colorful Grid Accent 6" />

UnhideWhenUsed="false" QFormat="true" Name="Subtle Emphasis" />

UnhideWhenUsed="false" QFormat="true" Name="Intense Emphasis" />

UnhideWhenUsed="false" QFormat="true" Name="Subtle Reference" />

UnhideWhenUsed="false" QFormat="true" Name="Intense Reference" />

UnhideWhenUsed="false" QFormat="true" Name="Book Title" />

/* Font Definitions */

@font-face

{font-family:"Cambria Math";

panose-1:2 4 5 3 5 4 6 3 2 4;

mso-font-charset:1;

mso-generic-font-family:roman;

mso-font-format:other;

mso-font-pitch:variable;

mso-font-signature:0 0 0 0 0 0;}

@font-face

{font-family:Calibri;

panose-1:2 15 5 2 2 4 3 2 4;

mso-font-charset:0;

mso-generic-font-family:swiss;

mso-font-pitch:variable;

mso-font-signature:-1610611985 1073750139 0 0 159 0;}

/* Style Definitions */

p.MsoNormal, li.MsoNormal, div.MsoNormal

{mso-style-unhide:no;

mso-style-qformat:yes;

mso-style-parent:"";

margin-top:0in;

margin-right:0in;

margin-bottom:10.0pt;

margin-left:0in;

line-height:115%;

mso-pagination:widow-orphan;

font-size:11.0pt;

font-family:"Calibri","sans-serif";

mso-ascii-font-family:Calibri;

mso-ascii-theme-font:minor-latin;

mso-fareast-font-family:Calibri;

```
mso-fareast-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
.MsoChpDefault
{mso-style-type:export-only;
mso-default-props:yes;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-fareast-font-family:Calibri;
mso-fareast-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;}
.MsoPapDefault
{mso-style-type:export-only;
margin-bottom:10.0pt;
line-height:115%;}
@page Section1
{size:8.5in 11.0in;
margin:1.0in 1.0in 1.0in 1.0in;
mso-header-margin:.5in;
mso-footer-margin:.5in;
mso-paper-source:0;}
div.Section1
{page:Section1;}
-->
```

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-qformat:yes;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:10.0pt;
mso-para-margin-left:0in;
line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;
```

```
mso-ascii-theme-font:minor-latin;  
mso-fareast-font-family:"Times New Roman";  
mso-fareast-theme-font:minor-fareast;  
mso-hansi-font-family:Calibri;  
mso-hansi-theme-font:minor-latin;}
```

Receive half price shipping by picking up at Steam Brite San Antonio

Note that both Mytee and SteamBrite reserve the right to change exact specifications without notice. What does this mean? It means that we do not open your boxes and Mytee will change the components that they use to build your machine. We verify the model number and voltage that is stamped on the box. We do not guarantee exact color or shade of your product though usually these ship in the blue family. In early 2018 Mytee is in the process of changing the rear wheels and front casters to a different size and specification. Other changes might also take place. What Mytee does guarantee is that the performance and the product is new and comes with the full manufacturer's warranty with its national service center locations. In other words, this is a 200 psi pump with dual 9 to 10 amp vacuum motors in a dual 12 gallon body style with dual 50 ft 12-3 power cords, but the exact pump model or exact vacuum motor, pressure gauge, or switch that is installed in your machine can be different. In the last year these machine have been built with Electromotor high performance 2 stage vacuum motors as well as 3 stage low amp draw vacuum motors. These are both great vacuum motors. Amp draw is king. What I mean is a 2 stage 10 amp vacuum motor dries the carpet as fast as a 3 stage 10 amp vacuum motor. It does not mater what the vacuum motor is called rather how much electrical energy is converted into vacuum. This currently is a 19.8 amp vacuum system divided by two power cords.

Mytee Products Warranty Details
Options:



.Shazaam Set50: Hose Set - 50ft (15 meters) x 1.5 in - Vacuum & 1/4in Solution

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Clean Storm SBMTray: Portable Extraction Machine Drip Tray

Mytee A145 Loading Buddy Upper Back Wall Rear Wheel Kit 20130606

Help assist loading your carpet cleaning machine

Mytee P507 Transport Tray for Mytee carpet extractors

Questions and answers;

Q. Does this machine clean with steam?

A. No, this is a hot water extraction machine that you will with hot tap water and then

the on board heater boost this water temperature to make the water hotter than tap temperature. At no time will this machine clean at steam temperatures.

Q. Is the pressure pump adjustable?

A. No this is currently and Aquatec 220 psi diaphragm pump. The standby pressure can be up to 220 psi and the suction feed use pressure (trigger squeezed on the wand) between 110 - 170 psi depending on the jet orifice size(s). The factory does not include a pressure gauge on this model as the did not want to drive the price up on the design while increasing the number of questions why the pump pressure would read 220 psi when your not squeezing the trigger and then drop to 110 psi when you are squeezing the trigger on the carpet cleaning wand (or 170 psi on the upholstery wand)

Q. What is the max hose length on this design?

A. About 125 ft with 100 ft of 2" ID + a 25 foot 1.5" id Leader hose.

Q. The machine has 2 power cords and need to different 20 amp 120 volt breakers to make this machine work. What would happen if I only have 1 outlet that I can use? Can I operate this machine on just one vacuum motor?

A. No. This machine has air parallel vacuum motor and does not include a vacuum check valve system to turn off the vacuum motor not in use. In other words the vacuum motor not in use will try to spin back ward and you will have almost no vacuum at the end of the vacuum hose. You will always have to use both breakers to make this machine function.

Availability: This product was added to our catalog on Tuesday 11 October, 2022