



Model Number: 20221228

Clean Storm 20221228, HEPA Concrete Grinder Dust Slurry Extractor Collector Triple Vacuum Motors Wet/Dry Shop Vac 288 CFM

Manufacturer: SteamBrite MFG

Clean Storm HEPA Concrete Grinder And Silica Dust Slurry Extractor Collector Triple Vacuum Motors 5 Stage Filter System Wet/Dry Shop Vac 288 CFM 20221228

Manufactured with three separate 2 stage vacuum motors (6 stages of vacuum)

Our #1 Best Selling Concrete Grinding HEPA Cleaning Vacuum System

The unit has 20 gallon stainless steel tank

Triple 2 stage Vacuum motors @ 7.5 Amps Each = 21.5 Amp @ 120 Volts; 288 CFM @ 90" Water Lift 2,700 watts of vacuum.

Triple 1.6 hp commercial duty vacuum motors make quick work of floor stripper, liquid spill recovery, air duct cleaning, chimney cleaning, concrete grinding, mold and hazmat pickup, and many other uses.

Each Vacuum motor can operate on its own as the machine is designed with vacuum check valves under each vacuum motor so when the vacuum motor is not turned on, it does not allow air to run backwards through the non-used motor, creating a vacuum loss.

Operates 2 vacuum motors on a 12-3 AWG X 25 Ft Power Cord @ 15 Amps 120 Volts

Operates 1 vacuum motor on a 14-3 AWG X 25 Ft Power Cord @ 7.5 Amps 120 Volts

Power Cord Hanger Bracket (Keeps power cords out of the wheels during relocation and stair climbing)

Aluminum Hand Truck with Stair Climbing Wheels and lift off padded handles.

Use Measurements:

44-1/8" Height with lift off padded handles removed.

60" Height with Padded Handles Installed

21" Wide X 36" Deep

Use weight 88 lbs

5 Stage Filters and Separation System

Stage 1: 6.5 Gallon Pre-Separation Bucket with Cyclonic Elbow

Stage 2: Large Debris Pre-Filter

Stage 3: Disposable Heavy Duty Dirt Bag (can be removed for wet pickup)

Stage 4: Washable Stage 4 Poly-Cotton Cone Filter

Stage 5: Washable CleanStream HEPA filter media - 82 Pleat -10.82 Sq Feet (1,558 Sq Inches)

USE FOR:

Perfect for Fine Dust Pick up, Drywall Dust, Cold Fireplace Ash, Cement Dust,

Furnace and Duct Cleaning, Wood Stoves, Auto Refinishing, Mold Clean up, Asbestos, Concrete Grinding, Edge Grinding, Adhesive Removal, Paint Removal, Epoxy Removal, Spackle Removal, Concrete Dust and Polishing, Silica, Drug Lab Clean up....

Dust pickup from medium size grinders, shot blasters and scarifiers.

OSHA Compliant for Silica Dust Mitigation and NFPA 652 and 484 compliant, .

Aluminum, rust free, design makes this one of the lightest and easy to move and relocate Hepa vacuum units on the market.

Can be used for both wet and dry pick up.

- 18 gauge stainless steel 20 gallon vacuum tank

- Comes complete with two-piece wand, hose, 14" carpet and squeegee tools, plus, crevice and dusting tool

Total Amp draw for both power cords 22 amps @ 120 volts = 2,700 watts of vacuum 288 CFM X 90" Water Lift = 25,920 Cleaning vacuum units speed!

20 gallon stainless tank is bolted to the aluminum dolly and cannot fall off.

Plug in everywhere design: Two power cord design means no more looking for dedicated 20 amp breakers. One power cord 15 amps, one power cord 7.5 amps

Includes:

50 ft X 2" ID vacuum hose and 6 piece tool kit with adapter cuff (other companies only provide 15 feet)

Washable filters mean less maintenance cost to keep you Hepa unit running at peak performance!

Caution, Do not use with flammable liquids.

Unit is not explosion proof.

Remove paper bag for liquid pick up.

Do not use with liquid pick up for more than 10 gallons without dumping water!

Change dry use paper bags once half full.

Poly-cotton white cone filter can be rinsed, allowed to dry and re-used!

Hepa filter can be rinsed off, allowed to dry and re-used!

WARRANTY INFO

5 year tank, 1 year motor and parts warranty excludes shipping and labor cost.

Each cord needs to operate on separate circuit breakers.

Remove the yellow bag when using for wet pick up.

Install the yellow bag for dry pick up.

Both the cotton polyester filter and Hepa filter are washable!

Steambrite Wet/Dry vacuums have the capacity and power for large water recovery jobs or dry debris pick-up in the shop or on the job site. They are perfect for hard floor maintenance jobs, recovering floor strippers and hard floor cleaners easily.

Easy to transport and set-up. Efficient dust management.

Works with any brand concrete grinder that uses 2" ID vacuum hose or smaller. This

includes grinders that have a 22" or less grinder apron. With Husqvarna this is PG 540 millimeters or smaller units. Grinders that accept a 3" ID vacuum hose usually will need over 300 cfm and will not be able to use this 288 cfm Hepa vacuum unit.

Compatible With The Following 2" Vacuum Hose Connection Machines:

Husqvarna BGS 250, Husqvarna BG 280, Husqvarna PG 400 Petrol, Husqvarna PG 400, Husqvarna HTC 270 EG, Husqvaran PG 450, Husqvarna PG 510, Husqvarna HTC 5, Husqvarna PG 540, Husvarna BB 700, Husqvarna BS 75, Husqvarna BS 110, Husqvarna BMS 150, Husqvarna CG 200, Husqvarna BMP 215/215 Petrol, Husqvarna BMP 265 / 265 Petrol, Drill Motor Husqvarna DM 400, Husqvarna DM 430, Husqvarna DM 280, Husqvarna DM 230, Husqvarna DM 220, Husqvarna DM 540i, Husqvarna DM 200, All 9" and smaller angle grinders and Hammers, Husqvarna Soff-Cut 150 / 150E, Husqvaran Soff-Cut 5000, Husqvarna Soff-Cut 4200 / 4000, Husqvarna Soff-Cut 2500 / 2000, Wall Sawing Husqvarna WS 482 HF, Husqvarna WS 220, Shot Blaster Husqvarna 1-8DM, Husqvarna, and many more.

Stage 3

Please order extra Bags

Clean Storm 906-73-00

Factory Installed One Included

1140 sq inches of surface area

Shop Vac High Efficiency Collection Bag Each 38" X 15"

Factory Installed One Unit Included

Order Replacements as needed

Clean Stream Hepa Washable Filter for Triple Shop Vac

Stage 5; Washable Clean Stream 82 pleats

10.82 sq ft media surface / 1,558 Sq Inches

Has 35% more surface area than traditional Hepa filters!

Compare to current or past OEM associations

AW Perkins Rovac 3 Motor HEPA Filtered Chimney and Dryer Vent Vacuum
B003KV64ME SKU: 561001
Dust Director 3-Motor 120 Volt Vacuum DD2400
Dust Director 3 motor Barrel Head
Goodway DV-3-SSH
JV58H 628383496144
NaceCare WVD900H-BB8 Wet & Dry HEPA 2 motor Vacuum
IPC Eagle S9NEV630TIP
Nikro AHW15150-S
IPC Eagle 430PH Triple Vacuum Motor HEPA Vacuum S6430PH
IPC Eagle S9M440BV
IPC Eagle S9PLANET200TOPT-220 Industrial Vac Heavy Duty Tandem Tanks With
Separator Split Drop Down Recovery Tank
IPC Eagle 440P Triple Vacuum 3Flow Motor Vacuum S9440P
Blastrac BDC-1330LP
Blastrac BDC-23
Karcher IVM 50/24-2 Industrial Vacuum Cleaner 9.988-902.0 (2 motor unit)
Karcher IVM 50/24-2 Hepa Industrial Vacuum Cleaner 9.988-902.0 (2 motor unit)
Karcher IVM 100/24-2 Industrial Vacuum Cleaner 9.988-918.0 (2 motor unit)
60185 Rovac B001D1FYVA
Rovac 1105 Chimney and Dryer Vent Vacuum
CPF-60185
Equipmaxx GPV3600-60L
American Sanders 07213A (non hepa)
Amono American Sander AVAC 26 Dust Containment System 07213B
Husqvarna S 36
Husqvarna BDC-23

The vacuum on this is strong enough to use for air duct cleaning.
Video below is on the standard, non hepa model

.Compare to similar units

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Wet Dry Shop Vacuum
SteamBrite Clean Storm HEPA Triple Vacuum 3 Motor Triple Filter
Vac 20 Gallon Tank with Tool Kit 120v 20140606 288Cfm
Same vacuum, same Hepa filter, same poly-cotton filter.
Plastic dolly instead of aluminum dolly
No stair climbing wheels.
No lift handle
No preseparator bucket.
6 ft X 1.5" ID vacuum hose + tool kit.

Gallon Tank with Tool Kit
Clean Storm 87436756 Triple Vacuum Motor Wet Dry Shop Vac 20
Same 20 gallon tank
Same triple vacuum motor
No filters
Plastic dolly
6 ft X 1.5" hose + tool kit

System Advantages Comparison Chart

Clean Storm 20221228
Other Brands

All Terrain and Stair Climbing Mobility

Yes
No

Plugs In Everywhere, Does not Require Dedicated 20 Amp Breakers
Yes
No

Lightweight Construction; Only 88 lbs
Yes
No, Usually Weight is Double

Aluminum No Rust Design
Yes
No, Usually Framed In Carbon Steel

Easy Lift Off Handle For Short Roof Transportation
Yes
No

Build In Vac Motor Check Valves Allow For 1, 2, Or All 3 Vacuum Motors To
Be Used
Yes
No

Longer 50 Feet Of 2" ID Vacuum Hose
Yes
No

Complete Tool Kit
Yes
No

Includes Cyclonic Pre-separator
Yes
Some

Can Be Used Wet Or Dry
Yes
Some

Washable Stage 1, 2, 4, and 5 Filters (Saves \$\$ on Replacement) Only Stage 3 Yellow Bags Need To Be Replaced)

Yes
No

Works With Both 1.5" and 2" Vacuum Connections

Yes
Some

Includes Power Cord Hanger

Yes
Some

5 Stage Filter System Insures Hepa Filter Last Longer

Yes
No

.Optional

Husqvarna 590436501 3 Inch Female Camlock X 2 Inch Pipe Adapter

.
8 different versions available in this 20 gallon tank size include tools

Model 87436756 288 cfm @ 90" lift 21 amps @ 120 volts (dual power cords) with no filters, plastic cart, 1.5" ID X 6 ft Hose, includes tool kit

Model 20140606 288 cfm @ 90" lift 21 amps @ 120 volts (dual power cords) with Hepa Filters, plastic cart, 1.5" ID X 6 ft Hose, includes tool kit

Model 20221228 288 cfm @ 90" lift 21 amps @ 120 volts (dual power cords) with Hepa filters, pre-seperator, stair climbing wheels on aluminum dolly, 2" ID X 50 ft Hose, includes tool kit

Model 20230123 335 CFM @ 108.1" Lift 32 amp @ 120 Volts (dual power cords) with no filters, circuit locator system, plastic cart, 2" ID X 15 ft Hose, includes tool kit

Model 20230127 335 CFM @ 108.1" Lift 32 amp @ 120 Volts (dual power cords) with Hepa Filters, circuit locator system, plastic cart, 2" ID X 15 ft Hose, includes tool kit

Model 20230111 335 CFM @ 108.1" Lift 32 amp @ 120 Volts (dual power cords) with Hepa filters, pre-seperator, stair climbing wheels on aluminum dolly, circuit locator system, 2" ID X 50 ft hose, includes tool kit

Model 20230217 335 CFM @ 108.1" Lift 32 amp @ 120 Volts (dual power cords) with no filters, pre-seperator, stair climbing wheels on aluminum dolly, circuit

[Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >](#)

locator system, 2" ID X 50 ft hose, includes tool kit
Model 20240510 335 CFM @ 108.1" Lift 32 amp @ 120 Volts (dual power cords)
with Hepa filters, Cyclonic pre-seperator (accepts trash bags,) stair climbing
wheels on aluminum dolly, circuit locator system, 2" ID X 50 ft hose, includes tool
kit

See How This HEPA Vacuum Performance Compares To The Top 70 Hepa Vacuums
On The Market. Comparison Chart [HERE](#).

Availability: This product was added to our catalog on Thursday 29 December, 2022