



Model Number: 20230217

Clean Storm Gutter Cleaning Extractor Collector Triple Vacuum Motors 3 Stage Filter System
Wet/Dry Shop Vac 20230217

Manufacturer: Steambrite MFG

Clean Storm Gutter Cleaning Extractor Collector Triple Vacuum Motors 3 Stage Filter
System Wet/Dry Shop Vac 335 CFM / 108" Lift Item 20230217

The best vacuum for outside use. Shown below with optional Hepa filtering system,
not included on this model.

Manufactured with three separate 2 stage vacuum motors (6 stages of vacuum)
Our #1 Best Selling Gutter Cleaning Vacuum System / no filters, non hepa for outside
use only

The unit has 20 gallon stainless steel tank

Triple 2 stage Vacuum motors @ 5.5 Amps Each = 16 Amp @ 240 Volts; 335 CFM @
108.1" Water Lift 4,500 watts of vacuum.

Triple 2.4 hp commercial duty vacuum motors make quick work of floor stripper, liquid
spill recovery, air duct cleaning, chimney cleaning, concrete grinding, rain gutter
cleaning, mold and hazmat pickup, and many other uses.

Each Vacuum motor can operate on its own as the machine is designed with vacuum
check valves under each vacuum motor so when the vacuum motor is not turned on,
it does not allow air to run backwards through the non-used motor, creating a vacuum
loss.

Operates 3 vacuum motors on a DUAL NEMA 5-15 Plugs /12-3 AWG X 25 Ft Power
Cord @ 16 Amps 120 Volts (both power cords must be plugged in on different
phases)

Phase locator green light notification system tells operator that both power cords are
installed on different phases.

Power Cord Hanger Bracket (Keeps power cords out of the wheels during relocation
and stair climbing)

Aluminum Hand Truck with Stair Climbing Wheels and lift off padded handles.

Use Measurements:

44-1/8" Height with lift off padded handles removed.

60" Height with Padded Handles Installed

21" Wide X 36" Deep

Use weight 88 lbs

3 Stage Filters and Separation System

Stage 1: 6.5 Gallon Pre-Separation Bucket with Cyclonic Elbow

Stage 2: Large Debris Pre-Filter

Stage 3: Washable Stage 4 Poly-Cotton Cone Filter

USE FOR:

Perfect for Rain Gutter Cleaning, mud, dirt, small rocks, leaves...

Can be used for both wet and dry pick up.

- 18 gauge stainless steel 20 gallon vacuum tank

- Comes complete with two-piece wand, hose, 14" carpet and squeegee tools, plus, crevice and dusting tool

Total Amp draw for both power cords 32 amps @ 120 volts = 3840 watts of vacuum (under half load)

335.1 CFM X 108.1" Water Lift = 36,224.3 Cleaning vacuum units speed!

20 gallon stainless tank is bolted to the aluminum dolly and cannot fall off.

Plug in everywhere design: Two power cord design means no more looking for 240 volt connection. Each power cord 16 amps @ 120 volts.

The power of 240 volt motor with the plug in convenience of simply plugging in two standard 120 volt outlets on different circuit breakers. See photo to the bottom right.

Push momentary switch to confirm you have plugged in correctly. If you do not get a bright green light, simply unplug and relocate one power cord to a new location and re-test the button again for a bright green light. Relocate and test until the light turns on and then you are good to go to work. Green light means you have plugged into different breakers on different phases. Operates over 50 feet of hose with ease!

Includes:

50 ft X 2" ID vacuum hose and 6 piece tool kit with adapter cuff (other companies only provide 15 feet)

Washable filter mean less maintenance cost to keep your unit running at peak performance!

Caution, Do not use with flammable liquids.

Unit is not explosion proof.

Do not use with liquid pick up for more than 10 gallons without dumping water!

Poly-cotton white cone filter can be rinsed, allowed to dry and re-used!

WARRANTY INFO

5 year tank, 1 year motor and parts warranty excludes shipping and labor cost.

Each cord needs to operate on separate circuit breakers.

Remove the yellow bag when using for wet pick up.

Install the yellow bag for dry pick up.

Both the cotton polyester filter and Hepa filter are washable!

Steambrite Wet/Dry vacuums have the capacity and power for large water recovery jobs or dry debris pick-up in the shop or on the job site. They are perfect for hard floor maintenance jobs, recovering floor strippers and hard floor cleaners easily.

Easy to transport and set-up.

This part number is without the HEPA filter and without a paper bag insert.

Optional Hepa unit Compatible and works with The Following 2" Vacuum Hose Connection Machines:

Husqvarna BGS 250, Husqvarna BG 280, Husqvarna PG 400 Petrol, Husqvarna PG 400, Husqvarna HTC 270 EG, Husqvarna PG 450, Husqvarna PG 510, Husqvarna HTC 5, Husqvarna PG 540, Husqvarna BB 700, Husqvarna BS 75, Husqvarna BS 110, Husqvarna BMS 150, Husqvarna CG 200, Husqvarna BMP 215/215 Petrol, Husqvarna BMP 265 / 265 Petrol, Drill Motor Husqvarna DM 400, Husqvarna DM 430, Husqvarna DM 280, Husqvarna DM 230, Husqvarna DM 220, Husqvarna DM 540i, Husqvarna DM 200, All 9" and smaller angle grinders and Hammers, Husqvarna Soff-Cut 150 / 150E, Husqvarna Soff-Cut 5000, Husqvarna Soff-Cut 4200 / 4000, Husqvarna Soff-Cut 2500 / 2000, Wall Sawing Husqvarna WS 482 HF, Husqvarna WS 220, Shot Blaster Husqvarna 1-8DM, Husqvarna, American Sander Epoch HD-20 (both 07234A and 07238A models) American Sander Epoch HD-16 (02133A, 07237A, and 07233C models) American Floor Crafter Belt Sander 8" (07104B, 07104C) American Legend Belt Sander (07236A, 07236B, 07236C) American 12 Drum Sander (07108A, 07204A, 07108C) American 8 Drum Sander (07032C, 07105A, 07105C) American Horizontal Rotary Epoch Dual Speed Sander 07221A Hummel Lagler Belt Sanding Machine 230V 2.9KW Single Phase Version Werkmaster Edge 000-0145-00 Concrete Grinder Lagler Trio Three Disc Sander and many more.

See chart below per EACH motor. Since 3 motors installed, CFM 335 Max

Factory Installed - 3 motors

Clean Storm 20230110 Vacuum 2 Stage 240 volt 5.7in Diameter Peripheral

By-Pass Discharge 5.5 Amps

Complete machine average amp draw = 16 amp @ 240 volt with filters and hose installed wired to operate on dual 120 volt 20 amp outlets plugged in on different

phases. Phase location light installed.

Optional
Stage 3
Please order extra Bags
Clean Storm 906-73-00
Factory Installed One Included
1140 sq inches of surface area
Shop Vac High Efficiency Collection Bag Each 38" X 15"

Optional One Unit Needed for Indoor use
Order Replacements as needed
Clean Stream Hepa Washable Filter for Triple Shop Vac
Stage 5; Washable Clean Stream 82 pleats
10.82 sq ft media surface / 1,558 Sq Inches
Has 35% more surface area than traditional Hepa filters!
Note the hepa filter bracket system need to support filter and is not included
with the filter

Compare to current or past OEM associations

AW Perkins Rovac 3 Motor HEPA Filtered Chimney and Dryer Vent Vacuum
B003KV64ME SKU: 561001
Dust Director 3-Motor 120 Volt Vacuum DD2400
Dust Director 3 motor Barrel Head
Goodway DV-3-SSH
JV58H 628383496144
NaceCare WVD900H-BB8 Wet & Dry HEPA 2 motor Vacuum
IPC Eagle S9NEV630TIP
Nikro AHW15150-S
IPC Eagle 430PH Triple Vacuum Motor HEPA Vacuum S6430PH
IPC Eagle S9M440BV

IPC Eagle S9PLANET200TOPT-220 Industrial Vac Heavy Duty Tandem Tanks With
Separator Split Drop Down Recovery Tank
IPC Eagle 440P Triple Vacuum 3Flow Motor Vacuum S9440P
Blastrac BDC-1330LP
Husqvarna Blastrac BDC-23
Blastrac BDC-24
Karcher IVM 50/24-2 Industrial Vacuum Cleaner 9.988-902.0 (2 motor unit)
Karcher IVM 50/24-2 Hepa Industrial Vacuum Cleaner 9.988-902.0 (2 motor unit)
Karcher IVM 100/24-2 Industrial Vacuum Cleaner 9.988-918.0 (2 motor unit)
60185 Rovac B001D1FYVA
Rovac 1105 Chimney and Dryer Vent Vacuum
CPF-60185
Equipmaxx GPV3600-60L
American Sanders 07213A (non hepa)
Amono American Sander AVAC 26 Dust Containment System 07213B
Husqvarna S 36
Gutter Pro GPV3600-80L
American 3DS Rotary Sander with On board Dust Containment 07082C

Optional Hepa filter not included on the model, see bottom of webpage for HEPA versions for indoor use.

The vacuum on this is strong enough to use for air duct cleaning.
Video below is on the standard, non hepa model

.Compare to similar units

SteamBrite Clean Storm HEPA Triple Vacuum 3 Motor Triple Filter
Wet Dry Shop Vac 20 Gallon Tank with Tool Kit 120v 20140606 288Cfm
Same vacuum, same Hepa filter, same poly-cotton filter.
Plastic dolly instead of aluminum dolly
No stair climbing wheels.
No lift handle
No preseperator bucket.
6 ft X 1.5" ID vacuum hose + tool kit.

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Clean Storm 87436756 Triple Vacuum Motor Wet Dry Shop Vac 20
Gallon Tank with Tool Kit
Same 20 gallon tank
Same triple vacuum motor
No filters
Plastic dolly
6 ft X 1.5" hose + tool kit
288 cfm

System Advantages Comparison Chart

Clean Storm 20221228
Other Brands

All Terrain and Stair Climbing Mobility
Yes
No

Plugs In Everywhere, Does not Require 240 Volts Single Phase, Instead
Plugs into dual 120 volt 16 amps on separate phases. Has built in phase location
light to ensure vacuum is plugged in correctly.
Yes
No

Lightweight Construction; Only 88 lbs
Yes
No, Usually Weight is Double

Aluminum No Rust Design
Yes
No, Usually Framed In Carbon Steel

Easy Lift Off Dolly Handle For Shorter Van Roof Transportation
Yes
No

Build In Vac Motor Check Valves Allow For 1, 2, Or All 3 Vacuum Motors To
Be Used
Yes
No

Longer 50 Feet Of 2" ID Vacuum Hose
Yes
No

Complete Tool Kit
Yes
No

Includes Cyclonic Pre-separator
Yes
Some

Can Be Used Wet Or Dry
Yes
Some

Washable Stage Poly-cotton Filter (Saves \$\$ on Replacement)
Yes
No

Works With Both 1.5" and 2" Vacuum Connections
Yes
Some

Includes Power Cord Hanger
Yes
Some

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Optional 5 Stage Filter System Insures Hepa Filter Last Longer
Yes
No

.Optional

Husqvarna 590436501 3 Inch Female Camlock X 2 Inch Pipe Adapter

.
7 different versions available in this 20 gallon tank size include tools
Model 87436756 288 cfm @ 90" lift 21 amps @ 120 volts (dual power cords) with no filters, plastic cart, 1.5" ID X 6 ft Hose, includes tool kit
Model 20140606 288 cfm @ 90" lift 21 amps @ 120 volts (dual power cords) with Hepa Filters, plastic cart, 1.5" ID X 6 ft Hose, includes tool kit
Model 20221228 288 cfm @ 90" lift 21 amps @ 120 volts (dual power cords) with Hepa filters, pre-seperator, stair climbing wheels on aluminum dolly, 2" ID X 50 ft Hose, includes tool kit
Model 20230123 335 CFM @ 108.1" Lift 32 amp @ 120 Volts (dual power cords) with no filters, circuit locator system, plastic cart, 2" ID X 15 ft Hose, includes tool kit
Model 20230127 335 CFM @ 108.1" Lift 32 amp @ 120 Volts (dual power cords) with Hepa Filters, circuit locator system, plastic cart, 2" ID X 15 ft Hose, includes tool kit
Model 20230111 335 CFM @ 108.1" Lift 32 amp @ 120 Volts (dual power cords) with Hepa filters, pre-seperator, stair climbing wheels on aluminum dolly, circuit locator system, 2" ID X 50 ft hose, includes tool kit
Model 20230217 335 CFM @ 108.1" Lift 32 amp @ 120 Volts (dual power cords) with no filters, pre-seperator, stair climbing wheels on aluminum dolly, circuit locator system, 2" ID X 50 ft hose, includes tool kit

Optional 389cc or larger generator needed to power this vacuum.

Availability: This product was added to our catalog on Friday 17 February, 2023