



Model Number: 750-11-753-10

HydraMaster 750-11-753-10 Titan 575 Truckmount Carpet Cleaner with 100 Gallon Recovery Tank

Manufacturer: HydraMaster

ALL HYDRAMASTER ORDERS ARE FINAL, NON-CANCELLABLE, NO REFUNDS, PRICES SUBJECT TO CHANGE BASED ON DATE SHIPPED!

#### TITAN 575

Uncompromising Performance,  
Incredible Cleaning Temperatures,  
Maximize your Investment!

Applications:

- Dual Wand Cleaning
- Residential and Commercial Carpet Cleaning
- Pressure Washing with full waste recovery capabilities
- Upholstery Cleaning
- Concrete, Stone, Tile and Grout Cleaning
- Water Extraction

• "Tough as Nails" TITAN quality with a sleek new design  
• More intuitive and easier to use panel directions and graphics make it easier to train new technicians and easier to maintain  
• Enhanced appearance makes an impression on your professionalism to your cleaning or restoration customer  
• Truckmounts that match your perseverance at delivering optimum performance to your customers  
• Legendary performance and reliability from the innovation leader since 1971

Proven Performance in the most challenging cleaning and restoration environments!  
Liquid Cooled 32.5 HP Engine - Delivers Maximum Power and Reliable Longevity.  
Uncompromising Cleaning Solution Temperature - Unwavering heat from 230°-250° F. Best in class performance - single wand, dual wand, or hard surface cleaning.

Extreme Vacuum and Water Extraction Recovery - 400+ CFM for Faster Drying, Faster Restoration!

Completely Dual Wand Capable - plumbed and prepared for you to double your productivity when you need to!

Patented Heat Control System, ADC Control Diverter - Manages heat for more consistent temperature delivery and virtually eliminates dumping fresh water during cleaning and water extraction..

Quieter Performance Vacuum - Helical gear splash lube tri-lobe blower produces 400+ CFM resulting in faster drying carpet and floors.

The Titan 575 is a titan among truckmounts. It allows you to run two wands, so you can take on those bigger cleaning jobs or you can get done twice as fast.

Incorporating the industry's first true water conservation system, it also can be

inactive under a full vacuum load for as long as 40 minutes without dumping fresh water. That means you can move furniture or apply pre-conditioners without running to shut off your machine, and your fresh water and recovery tanks need to be filled and emptied less often. Your hot water is used on the job, not dumped into the recovery tank, saving precious fuel each and every day. The Titan 575 was designed for reliability and serviceability; removable magnetic panels make maintenance a cinch!

#### Features

- 32.5 HP Liquid Cooled Engine with 3-year manufacturer's warranty
- Keyless electronic ignition
- Exceptionally rigid cast iron block
- 3 cylinder OHV design
- Fuel-efficient technology, 1.7 GPH at 300 PSI
- Operating at 3000 RPM
- Dominator® TXH Series High Performance High Pressure Solution Pump
- 4.0 GPM volume
- 1,200 PSI heated pressure
- Dominator® Tri-Lobe 4007 Blower
- HydraMaster exclusive design
- Dual oil bath design with sight level windows
- Durable helical gear drive
- 400+ CFM
- Multi-Stage Thermal Accumulation and Heat Exchanger System
- Cleaning solution temperature of 230-250°F

#### Specifications

- Subcategory: Slide In
- Dimensions: 26"W x 39"H x 45"D
- Weight: 900 lbs
- Engine: 32.5HP Industrial Liquid Cooled
- Ignition: Electric keyless start
- Vacuum Blower: Dominator Tri-Lobe 4007 Blower
- Pump: Dominator TXH Series High Performance High Pressure Solution Pump
- Max Temp: 265°F
- Chemical System: Last-step chemical injection, meter controlled
- Heating System: Tube and fin heat exchanger and a shell and with ADC temperature control
- Recovery Tank: 70 gallon MaxAir® recovery tank; aluminum, baked-on powder coated finish, includes stainless steel filter and filter basket, 36 1/2"L x 10 1/2"W x 31"H, 100 lbs
- Solution Hose Length: 100 ft x 1/4"
- Vacuum Hose Length: 100 ft x 2"
- Wand Capacity: Dual
- Fuel Consumption: 1.6 gph
- Uses: Residential and Large Commercial

#### Standard Equipment

- Runtime hour meter

- Chemical flow meter (0-10 GPH)
- Chemical flow control valve
- 5 gallon chemical jug
- Vacuum gauge (0-30" Hg)
- Solution pressure gauge (0-1,500 PSI)
- Solution pressure adjustment
- Pre-wired AWDS Switch
- Fresh water inlet
- Water system drain valve
- 1.5 inch Evolution Wand
- Diverter valve (with ADC heat control)
- Diverter/clutch package for flood work
- Electrical circuit protection
- Pump clutch switch
- Solution temperature control selector
- Two solution outlets
- Solution Hose Length: 100 ft x 1/4"
- Vacuum Hose Length: 100 ft x 2"
- Wand Whip Line: 10 ft x 1-1/2"
- 50 ft water supply line
- Recovery Tank: 70 gallon MaxxAir®
- Battery box
- Van installation kit
- Operation & maintenance manual
- Embroidered HydraMaster jacket

Factory Brochure  
Owners Manual

Disclaimer: Local Dealer installation Required at Steambrite Supply, San Antonio, TX and is sold separately. Depending the model this may require as few as 2 business days, or as many as 14 business days.

Truck mount carpet cleaning system  
Truckmount carpet cleaning machine  
Hydramaster truckmount  
Hydramaster titan 575  
Water Extraction  
Upholstery cleaning  
Stone cleaning machine  
Tile cleaning machine  
Concrete cleaning machine  
Pressure wash

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Availability: This product was added to our catalog on Tuesday 06 June, 2023

Steambrite Supply