



Model Number: 751-011-744-10

HydraMaster 751-011-744-10 CDS 4.8 Overdrive Direct Drive Truckmount for GM and Chevy Vans 2021 onward 6.6L or V8

Manufacturer: HydraMaster

All HYDRAMASTER ORDERS ARE FINAL, NON-CANCELLABLE, NO REFUNDS, PRICES SUBJECT TO CHANGE BASED ON DATE SHIPPED!

CDS 4.8 SV for GM and Chevy

The concept behind the design of the CDS 4.8 SV is to provide a powerful, reliable cleaning system that utilizes the power and heat source already provided by the host vehicle. The rugged and reliable engineering that has, for over 37 years, made the CDS the #1 selling van powered system in the world. The result is a vehicle that you can outfit as you choose; with a complete custom interior package including fresh water tank, reels, shelves, and accessories.

Now, the #1 selling direct drive truckmount in the world is ready for the next generation of Chevy/GMC V8 Van for both the 4.3L, V-6 engine and the 6.6L, V-8 engine and quite simply, it is the most powerful CDS ever made in its 36 year history. The newly refined CDS 4.8SV employs a streamlined power transfer system; increased vacuum performance; a more consistent heat delivery system, and does all that without compromising its industry leading space saving design.

The Most Powerful CDS Ever Made!

What are the enhancements to the CDS 4.8SV:

- Increased vacuum performance with the Dominator Tri-Lobe, Tri-Flow 4009 Blower increases vacuum CFM by 25% – 485 CFM at 10”HG, 558CFM at ”HG
- Streamlined power transfer system designed for the next generation Chevy/GMC V-8 equipped with the 4.3L (V-6) or 6.6L (V-8) engine
- New Plate Heat Exchanger (PHE) heat exchanger technology is replacing the shell and tube heat exchangers tied to vehicle coolant system. PHE’s are smaller, weigh less, and take up less space but achieve the same level of heat delivery even more consistently
- Space saving design continues to provide the most room in the back of your van for all of your other gear
- Sacrificial anodes in solution recovery tank reduce corrosion and extend tank life
- Cast aluminum adapters on blower and solution recovery tank resist corrosion and last longer
- Tighter fitting power pack cowling reduces noise and keeps van cooler
- Relocation of start-stop module controller for easier access and smoother engine shutdown
- The SALSA Heat Booster System now comes standard and utilizes less fin density for less maintenance without sacrificing heat accumulation

When security, quiet operation and performance are most important, you rely on your CDS Direct Drive.

Night time commercial work? Bad weather days where you need to protect your equipment from the elements? Jobs in areas where your van needs to be secure?

Say "YES" to those jobs and make that cash with a CDS4.8 SV Direct Drive truckmount.

Smallest footprint in the industry. Compact space saving design allows for flexibility in can set-up

Perfect for hauling restoration equipment (air movers, dehumidifiers, air scrubbers), power wands, RX20's, upholstery tools, rotary hard surface tools, chemical solutions, hauling rugs and furniture and more. Say "yes" to virtually any hard or textile surface cleaning or restoration job and make that cash with a CDS 4.8SV Direct Drive truckmount.

Lower maintenance and ease of serviceability reduces costs and downtime, plain and simple.

Your CDS 4.8SV comes with a nationwide network of factory authorized warranty and service centers featuring the best distributors in the industry. The open design of the CDS 4.8SV makes for easy access to internal components, centrally located, protected wiring box, easy access to all drain hoses, means the daily, weekly and periodic maintenance is a breeze.

Reliable. Durable. Dependable.

The CDS 4.8SV Direct Drive has the industry's longest proven track record of performance and success. HydraMaster longevity and reputation means we will be here for years to come to support you. Maximum return on investment and highest resale value in the industry.

Simple-to-operate and easy to train your cleaning techs.

The CDS 4.8SV is the perfect choice for fleet operations. More of the largest carpet cleaning and restoration companies in the USA choose the HydraMaster CDS as their truckmount of choice more than any other truckmount.

Flexible and powerful performance allows for many uses.

The CDS give you consistent hot cleaning solutions and pressures for whatever you are cleaning. A perfect cleaning machine and ideal for flood and water damage restoration work, pressure washing, stone, tile and concrete cleaning and more. More types of jobs, more money for you.

Dual wand plumbed

Ready to use to maximize your cleaning productivity by allowing for dual wand cleaning even in the most extreme circumstances

Best of all the CDS 4.8 SV is backed by The HydraMaster Hassle-Free Ownership Experience

- Comprehensive "bumper to bumper" 3 year warranty across the entire machine – no "limited" on this warranty.
- Local distributor for complete warranty and service support
- Faster better and easier warranty support
- 24/7/365 Online and app based operations and troubleshooting support
- The best technical support team in the industry is available for you to talk to

Features/Specifications

Power Transfer System

- Streamlined Power Transfer System designed for 2021 and beyond next generation Chevy/GMC V8 vans equipped with the 6.6L engine and the 4.3L engine.
- Balanced double U-jointed self-aligned drive shaft
- Heavy duty electrically activated clutch

- Improved reliability, reduced vibration
 - Shaft capture safety system
 - High temperature/high performance bearings, seals and grease
 - Easy access zerks for drive shaft maintenance
- Vacuum System
- Durable Dominator Tri-Lobe, Tri-Flow 4009 Blower provides 25% more vacuum power.
 - Reduced Drying Times, High Speed – 3600 RPM – 485 CFM @ 10” Hg, 558 CFM @ 0” Hg
 - Powerful Ogura Clutch (176 ft lbs) operates at an efficiency of 35% of the available torque capacity, reducing the wear and tear on the clutch.
 - New efficient flow cast Aluminum inlet adapter and aluminum outlet adapter reduces corrosion.
 - Oil level sight windows
 - Pulsation and sound reduced for quieter operation
- Heating System
- Multi-Stage Thermal Accumulation and Heat Exchanger System
 - Up to 235 ° F stable consistent solution temperature at typical carpet cleaning pressure and flow
 - New Plate Heat Exchanger (PHE) heat exchanger technology is tied to vehicle coolant system. PHE’s are smaller, weigh less, and take up less space but achieve the same level of heat delivery with even more consistency
 - The new SALSA Heat Booster System, which now comes standard with the CDS, is tied to the blower exhaust system and utilizes less maintenance without sacrificing heat accumulation. Easier access to clean out improves serviceability.
 - Industry first heat exchanger blanket enhances solution temperature and protects the operator from hot surfaces.
- Solution (Pressure) Delivery System
- Dominator TXH Series High Performance High Pressure Solution Pump
 - 4 GPM Volume
 - Operator Adjustable 0-1200 PSI solution pressure
 - Smooth Operation 3-Piston Plunger Design
- Last Step Chemical System
- Equipped with stainless steel chemical pulse pump. Last step chemical injection means no chemicals pass through the water pump or heat exchangers
- Reliable and Robust Design
- The industry’s most proven and #1 selling direct drive truckmount – utilizing the power and heat source already provided by the host vehicle.
 - Front and rear CDS drive shaft safety rings protects van engine.
 - CDS Electronic Speed Control increases vacuum performance and reduces fuel consumption. (1.5 – 2.0 gph)
 - Recovery tank float with enhanced calibration process more accurately shuts down the machine when waste tank is full.
- Standard Equipment
- Runtime hour meter
 - Chemical flow meter (0-10 GPH)
 - Chemical flow control valve
 - Vacuum gauge (0”-30” Hg)

- Solution pressure gauge (0-1,500 PSI)
- Solution pressure adjustment
- Pre-wired pump-in switch
- Pre-wired AWDS Switch
- Fresh water inlet
- Water system drain valve
- Engine tachometer (0-4,000 RPM)
- Electronic throttle control
- Electrical circuit protection (resettable)
- Temperature control valve
- Solution pump switch
- 3 speed control switch
- CDS Power Transfer package
- Front compartment cowling & armrests
- Top-mounted gauge cluster & control console
- Dual wand solution connections
- Dual wand vacuum connections
- Freeze guard system
- Safety wheel chocks
- 1 1/2" Evolution wand
- 10 ft x 1 1/2" whip line
- 10 ft x 1 1/2" drain line
- Solution Hose Length: 100 ft x 1/4"
- Vacuum Hose Length: 100 ft x 2"
- Chemical jug holder
- 5 gallon chemical jug
- Operation & maintenance manual
- Embroidered HydraMaster jacket

VEHICLES: Installation available in 2021 + GMC/Chevy 2500, 3500 Express vans with the V-8, 6.6L engine or the V-6, 4.3L engine. For low mileage Chevy/GMC vans with V-8 engines built 2020 and prior, inquire with your distributor for availability to install the CDS 4.8 with a different front end power transfer kit

Always contact your HydraMaster distributor to confirm installation on a particular van before purchasing the van.

Factory Brochure

Disclaimer: Local Dealer installation Required at Steambrite Supply, San Antonio, TX and is sold separately. Depending the model this may require as few as 2 business days, or as many as 14 business days.

Truckmount carpet cleaner
Truckmount GM

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Truckmount Chevy
Truck mount direct drive
HydraMaster truck mount
Carpet cleaner chevy
Carpet cleaner GM

Normal
0

false
false
false

EN-US
X-NONE
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"

LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />
UnhideWhenUsed="true" Name="toc 8" />
UnhideWhenUsed="true" Name="toc 9" />
Name="Normal Indent" />
Name="footnote text" />
Name="annotation text" />
Name="header" />
Name="footer" />
Name="index heading" />
UnhideWhenUsed="true" QFormat="true" Name="caption" />
Name="table of figures" />
Name="envelope address" />
Name="envelope return" />
Name="footnote reference" />
Name="annotation reference" />
Name="line number" />
Name="page number" />
Name="endnote reference" />
Name="endnote text" />
Name="table of authorities" />
Name="macro" />
Name="toa heading" />
Name="List" />
Name="List Bullet" />
Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />
Name="Body Text First Indent" />
Name="Body Text First Indent 2" />
Name="Note Heading" />
Name="Body Text 2" />
Name="Body Text 3" />
Name="Body Text Indent 2" />
Name="Body Text Indent 3" />
Name="Block Text" />
Name="Hyperlink" />
Name="FollowedHyperlink" />

Name="Document Map" />
Name="Plain Text" />
Name="E-mail Signature" />
Name="HTML Top of Form" />
Name="HTML Bottom of Form" />
Name="Normal (Web)" />
Name="HTML Acronym" />
Name="HTML Address" />
Name="HTML Cite" />
Name="HTML Code" />
Name="HTML Definition" />
Name="HTML Keyboard" />
Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />

Name="List Paragraph" />

Name="Intense Quote" />

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Steambrite Supply

Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:107%;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri",sans-serif;
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
```

[Equipment: Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

mso-bidi-theme-font:minor-bidi;
mso-font-kerning:1.0pt;
mso-ligatures:standardcontextual;}

Availability: This product was added to our catalog on Wednesday 07 June, 2023