



Model Number: 56384887

HydraMaster 56384887 PEX 500 Heated Carpet Extractor Machine Only

Manufacturer: HydraMaster

ALL HYDRAMASTER ORDERS ARE FINAL, NON-CANCELLABLE, NO REFUNDS, PRICES SUBJECT TO CHANGE BASED ON DATE SHIPPED!

PEX 500 High Performance Heated Extractor

#### Elegant Simplicity with One Configuration

The PEX 500 has been designed to provide you with ultimate cleaning performance. It comes only in one configuration so you don't have to worry about what capacity solution pump, or what type of vacuum motor to use. We did your homework for you to bring you the highest rated heated extractor performance in its class, maximized for restorative, deep cleaning and extraction in all applications.

#### Mobile and Maneuverable

The PEX 500 is designed with the end user's needs in mind. Features like the upright, dolly design with roller wheels allow for easy loading, unloading and stair climbing. The "Easy Transport" features of the PEX also crown it as the king of mobility. A special wand caddy is molded into the design of the machine. A retractable hose wrap holds your vacuum and solution hose. Cord wraps hold your electrical cords. Its ergonomic handles, even weight distribution, and compact size makes it maneuverable in tight spaces. It is the easiest high performance extractor in the world to move through a facility, reducing the chance of operator injury. All of these features combine to make the PEX easier to use for one person.

#### Power, Performance, and Ideal for Noise Sensitive Environments

For performance, the PEX 500 has all the power and versatility you expect from a HydraMaster extractor to have and more! Dual vacuums and on-demand 212°F heat from the industry leading 2000W heater provide unmatched cleaning power. The smart dual circuit indicator light lets you know you are ready to clean without blowing any breakers. The PEX 500 is an incredibly quiet machine – ideal for noise sensitive environments!

#### Easy to Use, Easy to Maintain

The PEX 500 is easy to use. Simple, intuitive controls require less training for the operator. The easy to access solution fill port is below knee level for easier filling. The sloped recovery tank allows for simpler wastewater emptying and easier tank clean-out. The innovative waste tank design also reduces foaming, speeds up cleaning and maximizes vacuum recovery. There are two heat settings for easy operation: High for carpet and Low for upholstery cleaning. The innovative solution pressure relief valve on the back of the machine allows for quick changing from one tool to another and speeds you up when shutting down.

For maintenance, it doesn't get any easier than the PEX "clam-shell" design. Simply remove four bolts and open the hinged tanks for full access to all internal components on the machine.

#### Verified and Certified

But you don't just have to take our word for it, let the proven performance of the CRI Seal of Approval Gold certification speak for the power of the PEX! This certification also makes the machine verified for use in LEED Certified facilities.

#### Testimonials

"It saved my back! Because of its upright dolly design, it is so much easier to

load and unload out of our van and lift up and down stairs.&rdquo;

Cleaning contractor

&ldquo;A space and time saver! We can transport the PEX throughout our facility with ease because everything we need can be loaded right into it.&rdquo;

Custodial supervisor

&ldquo;Deep cleaning with 60-90 minute dry times.&rdquo;

Casino maintenance staff

&ldquo;Combined with our RX20 and Evolution wand, we were knocking our 2,000 square feet per hour.&rdquo;

Building service contractor

Features and Benefits

- Dual 3 stage Vacuums: Dual vacuums with unrestricted airflow produce 200&rdquo; waterlift for superior water recovery, industry first innovative fresh air intake for each vacuum improved vacuum life.

- Solution pump with easy to adjust pressures from 50 to 500psi with pressure regulator

- Heater Element: In-line, after the pump for longer life and instant heat up to 212 &deg;F at the wand tip, lifetime warranty. 2000W in-line heater has highest capacity in the industry. Two heat settings: High for carpet and Low for upholstery.

- Low Moisture System: Less water combined with higher heat means faster drying, less chance of shrinkage or wicking from the carpet pad or cushion.

- Smart Circuit Locator: Identifies separate lines to reduce blown circuits and downtime

- Tanks & Bodies: Lightweight, rotationally molded with 5 year warranty against cracks, leaks and dents. Unique &ldquo;clam-shell&rdquo; design for easy maintenance.

- Low Noise: Low dB day-time-quiet operation with innovative sound deadening chamber.

- Top Warranty: Industry leading, 2 year parts and labor warranty standard on the PEX Series, 5 years on roto-molded tanks

- Wand caddy, retractable cord wrap and large rear wheels make the PEX very easy to transport.

Specifications

- Tank Capacity: 12 gallon solution tank, 10 gallon recovery tank

- Vacuum: Dual 5.7&rdquo;, 3-stage, in series

- Vac Shutoff: Ball float

- Pump: Positive displacement adjustable 50-500 psi

- Waterlift: 200&rdquo;

- Heat: Two heat settings: High (212&deg;F) for carpet extraction, or Low (145&deg;F) for upholstery

- Heater: 2000 Watts

- Gauge: Glycerin filled pressure gauge

- Solution Pressure Relief Valve: Turn switch conveniently located on back allows for quick change from one tool to another

- Wheels: 12&rdquo; non-marking

- Electrical Cords: 2 each 25&rsquo; detachable 12/3gauge, hospital grade plugs

- Wand: Evolution Rotationally Molded Wand, twin tip for 500 psi

- Dimensions: 39&rdquo;H x 25&rdquo;W x 33&rdquo;L

- Weight 110 lbs.

- CRI SOA Certification: GOLD, LEEDS eligible

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

• Part No. 56384887 – Machine only 56385431 – Machine with  
25’ of vacuum and Solution hose and 1.5” Evolution Wand

Factory Brochure

Hydramaster pex 500  
Carpet extractor  
Portable carpet cleaning machine

Normal  
0

false  
false  
false  
  
EN-US  
X-NONE  
X-NONE

DefSemiHidden="false" DefQFormat="false" DefPriority="99"  
LatentStyleCount="376">

UnhideWhenUsed="true" QFormat="true" Name="heading 2" />

UnhideWhenUsed="true" QFormat="true" Name="heading 3" />

UnhideWhenUsed="true" QFormat="true" Name="heading 4" />

UnhideWhenUsed="true" QFormat="true" Name="heading 5" />

UnhideWhenUsed="true" QFormat="true" Name="heading 6" />

UnhideWhenUsed="true" QFormat="true" Name="heading 7" />

UnhideWhenUsed="true" QFormat="true" Name="heading 8" />

UnhideWhenUsed="true" QFormat="true" Name="heading 9" />

Name="index 1" />

Name="index 2" />

Name="index 3" />

Name="index 4" />

Name="index 5" />

Name="index 6" />

Name="index 7" />

Name="index 8" />

Name="index 9" />

UnhideWhenUsed="true" Name="toc 1" />

UnhideWhenUsed="true" Name="toc 2" />

UnhideWhenUsed="true" Name="toc 3" />

UnhideWhenUsed="true" Name="toc 4" />

UnhideWhenUsed="true" Name="toc 5" />

UnhideWhenUsed="true" Name="toc 6" />

UnhideWhenUsed="true" Name="toc 7" />

UnhideWhenUsed="true" Name="toc 8" />

UnhideWhenUsed="true" Name="toc 9" />

Name="Normal Indent" />

Name="footnote text" />

Name="annotation text" />

Name="header" />

Name="footer" />

Name="index heading" />

UnhideWhenUsed="true" QFormat="true" Name="caption" />

Name="table of figures" />

Name="envelope address" />

Name="envelope return" />

Name="footnote reference" />

Name="annotation reference" />

Name="line number" />

Name="page number" />

Name="endnote reference" />

Name="endnote text" />

Name="table of authorities" />

Name="macro" />

Name="toa heading" />

Name="List" />

Name="List Bullet" />

Name="List Number" />

Name="List 2" />

Name="List 3" />

Name="List 4" />

Name="List 5" />

Name="List Bullet 2" />

Name="List Bullet 3" />

Name="List Bullet 4" />

Name="List Bullet 5" />

Name="List Number 2" />

Name="List Number 3" />

Name="List Number 4" />

Name="List Number 5" />

Name="Closing" />

Name="Signature" />

UnhideWhenUsed="true" Name="Default Paragraph Font" />

Name="Body Text" />

Name="Body Text Indent" />

Name="List Continue" />

Name="List Continue 2" />

Name="List Continue 3" />

Name="List Continue 4" />

Name="List Continue 5" />

Name="Message Header" />

Name="Salutation" />

Name="Date" />

Name="Body Text First Indent" />

Name="Body Text First Indent 2" />

Name="Note Heading" />

Name="Body Text 2" />

Name="Body Text 3" />

Name="Body Text Indent 2" />

Name="Body Text Indent 3" />

Name="Block Text" />

Name="Hyperlink" />

Name="FollowedHyperlink" />

Name="Document Map" />

Name="Plain Text" />

Name="E-mail Signature" />

Name="HTML Top of Form" />

Name="HTML Bottom of Form" />

Name="Normal (Web)" />

Name="HTML Acronym" />

Name="HTML Address" />

Name="HTML Cite" />

Name="HTML Code" />

Name="HTML Definition" />

Name="HTML Keyboard" />

Name="HTML Preformatted" />

Name="HTML Sample" />

Name="HTML Typewriter" />

Name="HTML Variable" />

Name="Normal Table" />

Name="annotation subject" />

Name="No List" />

Name="Outline List 1" />

Name="Outline List 2" />

Name="Outline List 3" />

Name="Table Simple 1" />

Name="Table Simple 2" />

Name="Table Simple 3" />

Name="Table Classic 1" />

Name="Table Classic 2" />

Name="Table Classic 3" />

Name="Table Classic 4" />

Name="Table Colorful 1" />

Name="Table Colorful 2" />

Name="Table Colorful 3" />

Name="Table Columns 1" />

Name="Table Columns 2" />

Name="Table Columns 3" />

Name="Table Columns 4" />

Name="Table Columns 5" />

Name="Table Grid 1" />

Name="Table Grid 2" />

Name="Table Grid 3" />

Name="Table Grid 4" />

Name="Table Grid 5" />

Name="Table Grid 6" />

Name="Table Grid 7" />

Name="Table Grid 8" />

Name="Table List 1" />

Name="Table List 2" />

Name="Table List 3" />

Name="Table List 4" />

Name="Table List 5" />

Name="Table List 6" />

Name="Table List 7" />

Name="Table List 8" />

Name="Table 3D effects 1" />

Name="Table 3D effects 2" />

Name="Table 3D effects 3" />

Name="Table Contemporary" />

Name="Table Elegant" />

Name="Table Professional" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="Table Subtle 1" />

Name="Table Subtle 2" />

Name="Table Web 1" />

Name="Table Web 2" />

Name="Table Web 3" />

Name="Balloon Text" />

Name="Table Theme" />


Name="List Paragraph" />

Name="Intense Quote" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Steambrite Supply

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >



Name="Subtle Emphasis" />

Name="Intense Emphasis" />

Name="Subtle Reference" />

Name="Intense Reference" />

UnhideWhenUsed="true" Name="Bibliography" />

UnhideWhenUsed="true" QFormat="true" Name="TOC Heading" />

Name="Grid Table 1 Light Accent 1" />

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Name="Grid Table 6 Colorful Accent 1" />

Name="Grid Table 7 Colorful Accent 1" />

Name="Grid Table 1 Light Accent 2" />

Name="Grid Table 6 Colorful Accent 2" />

Name="Grid Table 7 Colorful Accent 2" />

Name="Grid Table 1 Light Accent 3" />

Name="Grid Table 6 Colorful Accent 3" />

Name="Grid Table 7 Colorful Accent 3" />

Name="Grid Table 1 Light Accent 4" />

Name="Grid Table 6 Colorful Accent 4" />

Name="Grid Table 7 Colorful Accent 4" />

Name="Grid Table 1 Light Accent 5" />

Name="Grid Table 6 Colorful Accent 5" />

Name="Grid Table 7 Colorful Accent 5" />

Name="Grid Table 1 Light Accent 6" />

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Name="Grid Table 6 Colorful Accent 6" />

Name="Grid Table 7 Colorful Accent 6" />

Name="List Table 1 Light Accent 1" />

Name="List Table 6 Colorful Accent 1" />

Name="List Table 7 Colorful Accent 1" />

Name="List Table 1 Light Accent 2" />

Name="List Table 6 Colorful Accent 2" />

Name="List Table 7 Colorful Accent 2" />

Name="List Table 1 Light Accent 3" />

Name="List Table 6 Colorful Accent 3" />

Name="List Table 7 Colorful Accent 3" />

Name="List Table 1 Light Accent 4" />

Name="List Table 6 Colorful Accent 4" />

Name="List Table 7 Colorful Accent 4" />

Name="List Table 1 Light Accent 5" />

Name="List Table 6 Colorful Accent 5" />

Name="List Table 7 Colorful Accent 5" />

Name="List Table 1 Light Accent 6" />

Name="List Table 6 Colorful Accent 6" />

Name="List Table 7 Colorful Accent 6" />

Name="Mention" />

Name="Smart Hyperlink" />

Name="Hashtag" />

Name="Unresolved Mention" />

Name="Smart Link" />

```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-para-margin-top:0in;
mso-para-margin-right:0in;
mso-para-margin-bottom:8.0pt;
mso-para-margin-left:0in;
line-height:107%;
```

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

mso-pagination:widow-orphan;  
font-size:11.0pt;  
font-family:"Calibri",sans-serif;  
mso-ascii-font-family:Calibri;  
mso-ascii-theme-font:minor-latin;  
mso-hansi-font-family:Calibri;  
mso-hansi-theme-font:minor-latin;  
mso-bidi-font-family:"Times New Roman";  
mso-bidi-theme-font:minor-bidi;  
mso-font-kerning:1.0pt;  
mso-ligatures:standardcontextual;}

Availability: This product was added to our catalog on Wednesday 07 June, 2023