

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >



Model Number: 20230619

Steambrite 20230619 Turbo Heat Thermo Retention Hose 25FT 3000Psi Nylon Braid 1/4ID  
Stainless Steel Couplers Crimps Ball Valve

Manufacturer: Steambrite MFG

Steambrite 20230619 Turbo Heat Thermo Retention Hose 25 ft 3000 psi Nylon Braid  
1/4 ID W Stainless Steel Couplers, Crimps, Ball Valve  
Bundle Includes:

Steambrite Turbo Heat Thermo Retention Hose 25 ft 3000 psi 250  
degree Holds in More Heat 20130140 Nylon Braid 1/4 ID

AH54 Clean Storm Ball Valve 1/4in Male X Female Pipe 1000 psi  
Chrome Plated Brass AH57 PMV60804 1692-2484

Clean Storm 20160424 Carpet Cleaning Stainless Steel Quick  
Disconnect Coupler QD QC 1/4 Male Female Socket Set

Problem is normal carpet and tile cleaning wire braid hose can loose 20 degrees F of water temp every 100 ft.

This hose does not have a wire braid and is replaced with a nylon radial braid.

This offer a better internal heat Retention.

Test show the temperature loss is half as much as standard wire braid hose thereby increasing your water molecule vibration and cleaning performance.

Note for every 18 degrees you can have 100% more water vibration and cleaning efficiency.

This hose with just a 10 degrees use rise can improve your cleaning by 50%!

Users can even save money by turning down their fuel fired, propane, diesel, and kerosene heaters and achieve the same cleaning performance with less heating fuel.

Heat exchanger truckmounts can improve their cleaning efficiency.

Kink free design.

Does not burn the customers lawn like traditional carpet cleaning hose.

Stainless Steel Crimps Eliminate Corrosion and rust!

Durable smooth cover slides over carpet and grass and outlast rubber.

High visibility.

Way less use weight, only 3 lbs dry.

Read more about 'water molecule vibration.'

Note the hose is stiffer when new but after a few uses, it does began to loosen up.

Steambrite Turbo Heat Thermo Retention solution hose is similar to Parker Parflex but a way better value.

Rated 3,000 psi @ 250&deg;F whereas Parker Parflex is rated 1275 PSI at 230&deg;F.

Patented design more flexible and less memory than Parker.

So the quality is there.

More durable.

Like all of our solution hose &ndash; custom length up to 300 feet with your choice of crimps, steel or stainless.

Best of all is the price.

Quick Stats:

Non-marring bonded jacket with a seamless heat and chemical resistant inner tube

Kink Resistant

Ultra flexible construction

Polyurethane jacket up to 4 x more abrasion resistant than rubber

Temperature Rating: 250&deg;F

Pressure Rating: 3,000 PSI

Lengths: 25&prime; &ndash; 300&prime;;

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Color: Blue  
Diameter: 1/4&Prime;

Compare to current or past OEM associations:  
TX50BT

Optional

Foster FK2BH2B: QD 1/4in Male/Female Set Brass Quick Disconnect Used  
for Carpet and Tile Cleaning

AS56A 1/4in Fip Insulated Safety Female Quick Disconnect Foster QD  
Samdx With Nipple Stop Carpet Cleaning Style Samdx AS56C

Wanders 1.5 per ft  
Cobb carpet supply \$79.95  
Our cost from Marcus is \$.945 per ft.  
-->

Availability: This product was added to our catalog on Monday 19 June, 2023