



Model Number: 965173601A

Used Husqvarna 965173601A, Drill Motor Stand DMS240, 120V 20Amps Demo A Rated, ENO50
GTIN 805544582742

Manufacturer: Husqvarna Equipment

Demo Husqvarna 965173601A Used Drill Motor Stand DMS240 120V 20Amps

Drill bits not included

DMS 240 is an electric drill motor and stand system for a wide variety of core drilling applications. An ideal system for medium core drilling in walls, floors and roofs up to 10 in. diameter. The stand is easy to tilt, and the back support provides reliable and stable angle drilling, saving you setup time and body stress. This system can be used for ventilation, plumbing waste evacuation pipes, barriers and road signs.

GTIN 805544582742

Demo / refurbished / blemished means: might have blemish, scratch, rust, or dent, used at a trade show, tested in the showroom by a customer, last years model, return by shipping company, returned by customer, used by factory for R&D work, no factory box, used to make this video above, etc. Limited stock so if you purchase it and we cannot fill the order because another customer beat you to the bargain, your money will be returned. Please do not call to see if it is still available as if the web page is up and viewable, it is available this second. If you delayed and asked if it available, your letting some other customer place the order ahead of you! Please do not delay on this once in a lifetime deal.

All sales are final.

Warranty: 12 Months parts and labor!

Extend the warranty to 3 or 5 years for a little more.

Condition of this machine: "A" Only 4 at this price!

Our A rated demo equipment usually has less than 100 hours on it.

Photos are not available as these ship from the factory rep direct to the customer and have already been cleaned and packaged.

Ships from KCOT warehouse.

Husqvarna Used Equipment Warranty Policy

Motor

Rated input power
3.3 hp

Rated current
20 A

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Frequency
60 Hz

Voltage
120 V

Phases
1 ph

Power source
Corded

Drilling equipment

Recommended drill bit diameter, min
0 in

Drill bit diameter, max
10 in

Coolant
Wet

Transmission

Number of gearbox speeds
2

Specifications

Water connector
G 1 / 4"

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Water pressure, max
116 psi

Spindle thread, inner
5/8" 11 UNC

Spindle thread, outer
1 1/4" 7 UNC

Column's angling
0-60°;

Column installation
Tilttable

Dimensions

Weight
44 lbs

Product size length
21.5 in

Product size width
10.5 in

Product size height
41.4"

Sound and noise

Sound power level, guaranteed (LWA)
106 dB(A)

Sound power level, measured
106 dB(A)

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Sound pressure level at operators ear
90 dB(A)

Owners Manual

Availability: This product was added to our catalog on Tuesday 18 July, 2023