

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >



Model Number: 20231131

Mytee ETM-LX-PLUS Escape Electric TruckMount 3/6.6Vacs 1000Psi Trex Shelves Hoses Rake Power Supply Bundle 20231131

Manufacturer: Mytee Products Inc

Mytee ETM-LX-PLUS Escape LX Plus Electric TruckMount Triple 6.6 Vacs 1000Psi Bundle 20231131
Bundle Includes:

Clean Storm 20210907 Mytee Escape Plus Power Supply Bundle

Mytee ETM-LX-PLUS Escape LX Plus Electric TruckMount Triple 6.6 Vacs 1000Psi Price Match Sale

StainOut T015 Injection Sprayer Plus High Pressure with blow molded jug 1-8 ratio or 1 - 4 ratio Freight Included [T-015]

Equipment: [Carpet Cleaning Machines](#) > [Vacuum Cleaners](#) > [HEPA Concrete Dust Slurry Hazmat Vacuums](#) >

Mytee-Trex 15 Total Rotary Extractor Power Wand 15in Price Match
Air Mover Included

Hydro-Force AB24 CRW Grandi Groomer Carpet Rake Complete
Rake and Stick 8.618-214.0 CA001 G180 2626-0707

Clean Storm 20230602 Truck Mount Hose Set 200ft (60 Meters) x
2.0in ID Vacuum and 1/4 in 3000 psi Solution with QDs and Ball valve installed

Clean Storm 20211209 Speed Perimeter Crevice Tool Vacuum Only
Pipe 1-1/2in ID 42in Long SBMC42

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Clean Storm AH48 Cuff 2in Thread Hose x 1.5in Slip Reducing
Vacuum Hose Cuff H498A 87089000 J00627

Hose Wall Buddy Corner Guard 861609 AC18 AC181 CornerG
8.697-425.0 A56578

Shazaam 20170116 Carpet Cleaning Auto Detailing Start Up Chemical
Package Starter Package ChemStart

Stainless Steel 3 Tier Van Shelves AX128 Shelf 10-129 SS-144 A298
8.697-002.0 Freight Included 101203

Westpak 10-2805 Internal Spray Hand Tool Upholstery Wand Clear Plastic Head With Vacuum Release and Male QD

The Next Big Thing in Truckmounts

Introducing the Escape® Plus, the first electric truckmount to truly rival gas power! Featuring Three LX vacuums, the Escape Plus's specs are undeniable: 242+ CFM and 17 in. Hg / 238" — and at a fraction of the cost of gas-powered truckmounts!

You can now enjoy the advantages of electric—such as reduced costs, minimal maintenance, and low environmental impact—without sacrificing raw power.

The Escape® Plus also comes standard with chemical metering, a 1000 PSI solution pump and a 35 GPM pump-out to make for one seriously incredible machine! Features

- Three exclusive Mytee® LX™ Vacuum Motors — outputting 242+ CFM and 17 in. Hg
- Autofill and automatic pump-out
- 12 gallon solution and recovery tanks,
- 3.5 GPM pump-out
- 1,200 PSI adjustable solution pump (regulated to 1,000 PSI)
- Chemical metering
- Runs off a single 5-prong, 4-prong power cord. Draws 30 amps @ 230V 60Hz.
- Weighs only 190 lbs!
- 57,594 vacuum units

Includes

- F200 Lint Hog™ In-line Filter
- 7 qt. Big Mouth™ Bottle for chemical injection
- 2" x 2.5" Cuff-Lynx™ reducer

- 2.5″ x 2.5″ Swivel Cuff-Lynx™
- 5004 4-Prong Electrical Converter

Specification

Body

Roto-molded polyethylene tanks

Solution Tank

12 gallon (45.4 L) capacity

Vacuum Tank

Approx. 12 gallon (45.4 L) capacity

Vacuums

Three LX™ Vacuum Motors

• Mytee exclusive

• 6.6" diameter

• 242 CFM

• Approx. 17.5 in. Hg

Pump

Pumptec Piston Pump

• 1,200 PSI (regulated to 1,000)

• 2.2 GPM

Pump-Out

3.3 GPM

Power Cord

5' 4-prong dryer power cord

Amp Draw

30 amps @ 230V 60Hz

Generator Requirements

Minimum Running Wattage: 7,500W

Recommended Running Wattage: 12,000W

Net Weight

190 lbs. (86.2 kg)

Machine Dimensions

37" x 25.5" x 38.5" (94 cm x 64.8 cm x 97.8 cm)

Escape™ From Mytee Products Inc..• Rising fuel cost• High maintenance• Noise and vibrationMytee® is proud to introduce the Escape™ ETM, our revolutionary new electric truckmount system! The Escape™ has broken the mold of traditional truckmounts, offering cutting-edge features and capabilities that will change the way you look at cleaning. One of these cutting-edge features is a cart – giving you mobility like a porty. From carpets and upholstery, to hard surface cleaning and flood extraction, the Escape™ ETM does it all!

Items Included

Cart: contains two front 4″ locking casters & two rear 10″ wheels

3 Prong 30 amp dryer adapter cord

Factory Provided

Mytee 5005 Circuit Converter 3 Wire 30 amp (NEMA 10-30P) 230v TO 4 Wire 230v Twistlock

4 Prong 30 amp dryer adaptor cord

factory Provided

Mytee 5006 Circuit Converter 4 Wire 30 amp (NEMA 14-30P) 230v TO 3 Wire 230v Twistlock NEMA L6-20

Two single 230 volt to dual 115 volt power cord adaptors

Optional

Mytee 5007 Circuit Hunter Inverter Dual 15 amp 115v to 230v 30 amp twistlock

Two needed for the Escape Purchase

Two 50' 12/3 twist lock power cords

2.5" x 2.5" Cuff-Lynx reducer
2.5" x 2.5" swivel Cuff-Lynx
Pump prime / vacuum tank wash-out hose
2.5" pump-out vacuum hose with cam lock connection

Warranty
Limited 5 yr warranty

Optional Once the factory warranty falls away,
We add 2 more year of part, labor, ON-Site Service, Shipping. Click
below to read more.

Other bundled packages might not have this policy included.

Extended Warranties for Equipment Valued up to 7499.99 included
Warranty

Body
Roto-molded polyethylene

Cart
Two front 4" locking casters and two rear 10" wheels

Tank
12 gallons

Vacuum
Quad 3 Stage vacuums

Factory installed

4 units
Mytee C304LA Electro Motor Model Q6600-090A-MP-26-230v 3
stage, Flat Bottom Fan-Vacuum Motor

Two series pair setup.

CFM
325 (factory test @ sea level) / SteamBrite test 260 CFM @ 1000 ft

Lift
230" H₂O or 16 1/2" Hg (59,800 vacuum units)

Pump
Rated 1,000 PSI / 2.2 GPM Triplex piston

Factory installed
General Pump T9051EBF Mytee C332 Pump Head 1750 RPM Bolt
On to 56c Frame Electric Motor

Factory Installed
Pumptec 70120 (Mytee C359C) Pressure Regulator Unloader
0-1000psi MV500 Three 1/4" Connections

Auto Pump-out
90 GPM

Factory Installed
Mytee C384A 90 gpm Auto Pump Out or similar

Dimensions
22" x 30" x 40"

Weight
200 lbs.

MSRP
\$4,999.00

Power requirements: 3 or 4 prong electric dryer connection, Four 15 amp 120 volt outlets. Optional 9000 watt generator

Please note to run on a gasoline generator you need 420cc engine or larger.

Note the Escape is not be used in the open rain / get wet

Optional Mytee 5008 Circuit Converter 4 Wire 30 amp (NEMA L14-30P)
230v TO 3 Wire 230v Twistlock NEMA L6-20

Allow you to run all the Mytee Escape with one outlet on your 7000 watt run generator.

Optional:
BE Pressure Supply: PowerEase 9000 watt Generator Electric Start 7100
watt run BE9000ERUSC

Minimum Generator to use on Escape is 420cc.

Note the Escape is not be used in the rain or allowed to get wet.
SteamBrite discontinued item.
Limited stock while supplies last.
Full factory warranty and dealer support in force.
Serial 12160350, and 11160716
Mytee may make changes in products it manufactures and markets at any time; these changes are made without obligation to change, retrofit, or upgrade any product previously sold or manufactured.

Manual
Parts List
5005 3-Prong Electrical Adaptor Parts List
5006 4-Prong Electrical Adaptor Parts List

Free included:

SBMdvdPak -Training DVD Package of 3: Covers the basics a Cleaner needs to know

SteamBrite Exclusive: Spend 4.5 Hours with IICRC Certified Master Cleaner, Master Restoration Technician, and Senior Floor Covering Inspector from SteamBrite Supply

Options:

Link Manufacturing Ramps: LB10 Series Bifold Ramp 24x90

Mytee Escape ETM Starter Package (Free Shipping if purchased with your truckmount)

Thread: Narrow down my portable extractor search!

Thread: What are the best features to look for in a Tile and Carpet Cleaning Machine?

Thread: What are some the best features to look for in an electric flood extraction / vacuum
-->

Documentation

Parts list and Schematics

Mytee Warranty Statement

Questions and Answers

Q. Will this machine operate on a standard electric clothes dryer outlet?

A. No, uses way too much electricity to safely to this it draws right at 30 amp @240 volts. The national electrical code recommends to operate right at 24 amps @ 240 volts would be preferred. If you plug into a clothes drier outlet try to keep the wand on the floor / carpet, this can reduce the amp draw by up to 20% alone.

Q. What will happen if I used on a standard 389cc or 420cc generator?

A. I expect the generator will operate but something is going to give. This would be like me selling you a car with a top end speed of 120 miles and hour and you try to drive it 140 miles an hour every time you get behind the wheel. Every single generator manufacture recommends that your actual use rating be at least 20% higher that the normal run capacity of the generator. This machine uses 70 amp or 8400 watts of power. That means the run capacity really should be 10,000 watt. This would place the surge or starting capacity at about 12000 watts. That is a 459cc generator or larger using premium fuel or ethanol free fuel. E85 and E87 would not be recommended! Please note the generator would also have to be grounded or bonded to the building. We have discussion in our forums on how to bond the generator to the building.

The above unit had a heat exchanger installed that is currently not available.

Mytee may make changes (upgrades and downgrades) in products it manufactures and markets at any time; these changes are made without obligation to change, retrofit, or upgrade any product previously sold or manufactured. Equipment filled by part number and not by description. Internal parts used for each build subject to change based on parts cost, availability, and or warranty history on past sales.

Can the Mytee Escape LX-Plus actually move 350 CFM?

<https://www.steam-bright.net/forum/carpet-cleaning-equipment/truckmounts/21290-can-the-mytee-escape-plus-really-product-350-cfm>

Mytee Escape LX-Plus: Regulated to 1000 psi - What does this mean?

Optional

Transfer hot water from inside the project to the Mytee Escape
Clean Storm 20220527 Live Reel with 100 ft Hot Water Transfer Garden Hose
3/8in ID Hose with Jumper hose Included

Optional

Run two vacuum motors and 500 psi on 2 standard wall outlets. Perfect when you want to go portable.

Power Joiner Step Up Inverter Converts Dual 20 amp 115 Volt outlets to allow 230 Volt 4 wire 20 amp Use [Reverse14-30R] Level 2

<https://www.magicwandcompany.com/product/mytee-escape-lx-plus/> \$5699.00

<https://encapstore.com/shop/machines/electric-truck-mount/mytee-etm-lx-plus-escape-plus-electric-truckmount> \$5509.00

<https://clean.direct/products/mytee-escape%E2%84%A2-etm-lx-plus-electric-truckmount> \$5799.00

<https://www.cleanprosupply.com/mytee-etm-lx-plus-escape-tripple-lx-1000-psi-apo-electric-truckmount/> \$6174 less \$10 = \$6164

<https://www.prolinesupply.com/store/escape-plus-etm-lx-plus-electric-truckmount-details.html> \$5999.00

<https://encapstore.com/shop/machines/electric-truck-mount/etm-lx-plus-escape-lx-plus-electric-truckmount> \$5819

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

[\\$6499](https://clean.direct/products/mytee-escape%E2%84%A2-etm-lx-plus-electric-truckmount)
20210714 CALL BACK ONCE IN STOCK 832-367-8882 at
20240205 google states page body is too long
-->

Availability: This product was added to our catalog on Thursday 30 November, 2023