



Model Number: 967272301B

Used Husqvarna 967272301B, K970 Ring Concrete Saw Power Cutter, 370mm 14.56IN, B Rated, ENO25, GTIN 805544263870

Manufacturer: Husqvarna Equipment

Tradeshaw Husqvarna K 970 Ring Saw 967272301B rated  
2024-08-05 2 left at this price.  
Ships from KCOT location.

POWER CUTTER K 970 Ring 370 mm/ 14.57 inches  
967 27 23-01 / Diamond blade not supplied  
GTIN 805544263870

Owners Manual  
Parts List

Output power:  
6.5 hp

Cutting depth, max:  
10.6 in

Blade diameter, max:  
14 in

Weight:  
30.4 lbs

Specifications

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Capacity

Idling speed  
2700 rpm

Power/weight ratio  
0.35 kW/kg

Output power  
6.5 hp

Output shaft RPM, max  
2800 rpm

Peripheral speed, max  
11000 fpm

Water flow, min  
1 gal (US)/min

Water pressure, max  
150 psi

Dimensions

Article gross weight  
27000 g

Article net weight  
26000 g

Blade diameter, max  
14 in

Blade thickness, max  
0.22 in

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

Cutting depth, max 10.6 in

Product size height  
16.96 in

Product size length  
30.89 in

Product size width  
8.82 in

Weight  
30.4 lbs

Engine

Cylinder bore  
2.2 in

Cylinder displacement  
5.71 cu.inch

Cylinder stroke  
1.5 in

Cylinders  
1

Electrode gap  
0.02 in

Engine cooling  
Fan/Air

Spark plug  
NGK BPMR7A

Equipment

Starter  
Manual cord with spring

Lubricants

Engine cooling  
Fan/Air

Fuel consumption  
500 g/kWh

Fuel tank volume  
33.8 fl oz

Lubricant type (Engine)  
Husqvarna 2 stroke or equiv. at 50:1

Sound and Noise

Sound power level, guaranteed (LWA)  
115 dB(A)

Sound power level, measured  
114 dB(A)

Sound pressure level at operators ear  
104 dB(A)

## Vibrations

Daily Vibration (Aeqv)  
3.4 m/s<sup>2</sup>;

Daily Vibration Exposure (A8)  
1.8 m/s<sup>2</sup>;

Daily Vibration Time (Time factor)  
1 h

Vibrations left/front handle  
2.7 m/s<sup>2</sup>;

Vibrations right/rear handle  
3.4 m/s<sup>2</sup>;

## Emission Data EPA

Exhaust emissions (CO average)  
402.55 g/kWh

Exhaust emissions (CO FEL)  
536 g/kWh

Exhaust emissions (CO<sub>a</sub>, average)  
743 g/kWh

Exhaust emissions (HC average)  
53.56 g/kWh

Exhaust emissions (NOx average)  
0.96 g/kWh

## Emission Data EU

Exhaust emissions (CO average)  
405.70 g/kWh

Exhaust emissions (CO<sub>2</sub>, average)  
736 g/kWh

Exhaust emissions (HC average)  
58.65 g/kWh

Exhaust emissions (NOx average)  
0.95 g/kWh

## Packaging

Packaging length  
867 mm

Packaging width  
308 mm

Packaging height  
485 mm

Packaging volume  
129.5 dm<sup>3</sup>;

Demo / refurbished / blemished means: might have blemish, scratch, rust, or dent, used at a trade show, tested in the showroom by a customer, last years model, return by shipping company, returned by customer, used by factory for R&D work, no factory box. Limited stock so if you purchase it and we cannot fill the order because another customer beat you to the bargain, your money will be returned. Please do not call to see if it is still available as if the web page is up and viewable, it is available this second. If you delayed and asked if it available so you let some other customer place the order ahead of you.

Equipment: Carpet Cleaning Machines > Vacuum Cleaners > HEPA Concrete Dust Slurry Hazmat Vacuums >

All sales are final.  
6 Month factory warranty  
Condition of this machine: "B" Only 3 at this price!  
Our demo equipment usually has less than 200 hours on it.  
Husqvarna Used Equipment Warranty Policy

Photos are not available as these ship from the factory direct as they have already been refurbished, cleaned, tested, and crated.

Optional

Husqvarna 531100708 14 Inch RING SAW Concrete Cutting Daimond  
BLADE ELR70

Availability: This product was added to our catalog on Thursday 18 April, 2024